Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



February 15. 1941

WHOLE SALE PRICE LIST



I.E.

ILGENFRITZ'

SONS CO.

The Monroe Mursery MONROE, MICHIGAN.



CONDITIONS OF SALE

- PRICES in this list cancel those in all previous price lists and are subject to change without notice. All sales and contracts are made subject to crop loss or loss through other causes over which we have no control.
- TERMS: Cash, unless credit has been established, when accounts are due thirty days from invoice date.

 Past due accounts bear 6 per cent interest from maturity.
- CLAIMS will be entertained only when made in writing within ten days after arrival of goods.
- GUARANTEE: If any nursery stock proves untrue to name, we will replace it or refund the money but in no case are we responsible for more than the amount originally paid.

SHIPPING INFORMATION

SHIPPING FACILITIES—Railroads—Michigan Central, N. Y. C., Pere Marquette, Grand Trunk.

Trucks—Associated Truck Lines, Michigan Motor Freight, Norwalk Truck Lines, and our own trucks.

PACKING will be added to the listed prices at cost.

BOXING CHARGES will be added as follows:

30 x 30	inchessix	feet	3.00
04 20	inchessix	feet	2.50
24 X 30	inchessix	foot	2.25
24 x 24	inchessix	reet	1.50
20 + 20	inches	feet	1.50

For longer boxes add 50c for each two feet.

Paper lining extra at cost.

Bales 35c to \$4.00 according to size.

SHIPMENT—Our responsibility for delivery of stock ends when shipment has been delivered in good condition to the transportation company. If stock is not received in good condition, any claim for adjustment of loss or damage is a matter between the consignee and carrier.

DISTANCE from important cities within a 300 mile radius

C1 1 1	 miles
Clevelana	 miles
Columbus	
	 IIIIIes
Cincinnati	 miles
C1 :	 ILLIIOD
Cincago .	 miles
Pittsburgh	

NURSERY LOCATION—On U. S. 24 Monroe, Michigan. 40 miles south of Detroit—20 miles north of Toledo. Office — 708 E. Front St.

INDEX

Broadleaved Evergreens	41-42
Dow-Wax	66
Evergreens	33-39
Evergreen Carrier	40
Firmer	64
Fruit Trees	58-61
Opener	65
Perennials	47-56
Roses	
Shade Trees	20-31
Shrubs	1-19
Small Fruits	62-63
Spiral Tree Wrap	32
Vines	43-44

ORNAMENTAL SHRUBS

	1 to 9	10-29	30 to 249	250 & Up
ACANTHOPANAX—Aralia	Each	Each	Each	Each
pentaphyllum 8' June Bright green leaves, arching branches, prickly	γ.			
Good in poor soils.		.12	.10	
15-18"	.20	.16	.14	
2-3'	.25	.20 .30	.18 .25	
4-5'	.45	.40	.35	
5-6'	.60	.50	.43	
ALMOND				
Prunus glandulosa 6' May Very double, rose like flowers cover the branches before the leaves are out.				
Double pink 15-18''	25	.20		
18-24"	.30	.25	.20	
2-3'	.40 .50	.35 .45	.30	
Double white		0.5	.20	
18-24" 2-3'	.40	.25 .35	.30	
ALTHEA				
Hibiscus syriacus 12' August-September				
Large shrub for specimen or group planting. Blooms when few other shrubs are showing				
flower.				
Anemonaeflorus, double pink Ardens, double violet				
Boule de feu, double red				
Joan d'Arc, double white Shrubiorm				
2-3'	20	.16 .20	.14 .18	
3-4'	20	.20		
Treeform 3-4'	35	.30 .40	.25 .35	
4-5'	50	.40	.55	
AMELANCHIER—Juneberry				
canadensis—30' May White flowers, purple fruit in June.			0.5	
18-24"	30	.27 .35	.25 .30	
AMORPHA—False Indigo				
fruticosa 10' May-June Spreading shrub with feathery foliage and				
wielet purple flowers	00	.16	.14	
2-3'	25	.20	.18	
4 5'	30	.25	.22	

	l to 9	10 to 29	30 to 249	
ARALIA pentaphyllum See Acanthopanax	Each	Each	Each	Each
ARONIA—Chokeberry arbutifolia 8' April-May Red berries, foliage brilliantly colored	in .			
fall. Good in sour soil and shade. 18-24"		.25 .35	.22	.20 .28
brilliantissima 8' April-May Large, brilliant, red berries. 18-24" 2-3'. 3-4'	40	.25 .35 .40	.22 .30 .35	.20 .28
melanocarpa 6' April-May Shiny black fruit. Good in shade. 18-24'' 2-3'		.20 .25	.18 .22	
BERBERIS—Barberry mentorensis—MENTOR BARBERRY 5' Plant Patent No. 99 Deep green foliage, turning coppery brom in late Fall. Half evergreen in this climate. 12-15" 15-18" 18-24" 2-21/2'	30	.25 .30 .35 .40	.18 .20 .25 .30	
Suggested Retail Prices 3 12 10 12-15"1.40 4.00 25. 15-18"1.50 4.50 30. 18-24"2.00 6.00 40. 2-21/2"2.60 7.25 50.	OO 00 00 00			
thunbergi—JAPANESE BARBERRY 5' Much used for hedges because of bus growth and protecting thorns. Brilliant f color, red berries. Excellent for sha locations.	all	-		
12-15" 15-18" 18-24" 2-2½'	12	$.06$ $.09\frac{1}{2}$ $.12\frac{1}{2}$ $.17$.04 ½ .06 .09 .12
thunbergi atropurpurea 5' REDLEAF 1 Plant in sunny places for best color. W add pleasing color contrast to any plantin 12-15" 15-18" 18-24" 2-21/2'	Vill ng152025	.12 .17 .20 .25	.10 .14 .18 .22	.12 .16 .20

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
BERBERIS—Barberry	Lucii	Lucii	Lucii	Lucii
thunbergi erecta—TRUEHEDGE COLUMNBE For formal hedges, no shearing required. Very upright growth. Plant Pat. No. 110	ERRY			
9-12" 12-15" 15-18' 18-24" 2-2½' 2½-3'	14 16 20 25	.085 .105 .125 .16 .20	.07 .09 .11 .14 .18 .25	
Suggested Minimum Retail Prices. Each 5 Rate 25 Ro	rte			
9-12"25 .20 .15 12-15"30 .24 .19 15-18"35 .27 .22 18-24"40 .32 .27 2-21/2'50 .38 .33 21/2-3'65 .50 .46 thunbergi minor —BOX BARBERRY 2'	5 9 2 7 7 3 3			
Small leaved, compact variety of Berberis thunbergi. 12-15"	18	.15 .20 .25	.12 .18	
BUDDLEIA—Butterflybush				
alternifolia 6' HARDY BUTTERFLYBUSH Does not freeze down. Lilac purple flower borne on arching branches. 2-3'	S	.25	.20	
CHARMING BUTTERFLYBUSH				
New pink variety, blooming all summe large spikes. No. 1		.25	.20	
ILE DE FRANCE 5' Dark claret-purple flowers, medium high	n,			
continuous bloomer. No. 1	25	.20	.15	
davidi magnifica—OXEYE BUTTERFLYBU No. 1	SH 20	.15	.12	
CALYCANTHUS—Sweetshrub				
floridus—CAROLINA ALLSPICE 5' Jun	e-July			
Fragrant, chocolate colored flowers, gloss leaves, thrives in shady locations. 18-24"	25	.22 .30	.20 .25	

	1 to 9	10 to 29	30 to 249	250 & Up
CARAGANA—Peatree	Each	Each	Each	Each
grborescens—SIBERIAN PEATREE 12' M	av-Iune			
Bright yellow pea-shaped flowers, strong	-			
grower.				
18-24"		.12	.10	
2-3'		.18 .22	.16 .20	
CEPHALANTHUS—Buttonbush	20	.22	.20	
occidentalis 6' July				
Prefers moist soils. Balls of small white				
flowers.				
2-3'		.22	.20	
3-4'	35	.30	.25	
COLUTEA—Bladder Senna				
arborescens 15' June				
Pea shaped yellow flowers, large seed pods.				
2-3'	30	.25	.20	
3-4'		.30	.25	
4-5'		.35	.30	
5-6'	45	.40	.35	
CORNUS—Dogwood				
alba siberica—TARTARIAN DOGWOOD	10' Ar	oril-May		
Bright red branches, white flowers.	15	10	.10	
18-24''		.12 .20	.16	
3-4'		.25	.20	
4-5'		.30	.25	
alba elegantissima—SILVER DOGWOOD	8'			
Silver and green leaves on red stems.	40	.35	.30	
2-3 '	40	.50	.50	1
Purplish red twigs, dark green foliage,				
silky underneath.				
2-3'		.20	.16	
3-4'		.25 .30	.20 .25	
baileyi—BAILEY DOGWOOD	55	.50	.20	
Dark red branches, white berries, good fall	l			
color.				
18-24"		.18 .25	.15 .20	
2-3'		.25	.25	
mascula—CORNELIAN CHERRY 20' Ma			.20	
Yellow flowers in umbels before the leaves				
appear. Edible, scarlet fruit ¾" long.				
2-3'		.55 .85	.50 .75	
paniculata—GRAY DOGWOOD 10' May		.00	./3	
Gray branches, white fruit, purple fall color.				
18-24"	15	.12	.10	
2-3'		.16	.14	.12
3-4'		.20 .30	.18 .25	.15 .22
5-6'		.35	.30	. 23 23

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
CORNUS—Dogwood sanguinea—BLOODTWIG DOGWOOD 1 Purple or dark red branches, black fruit.				
2-3'	30	.20 .25	.16 .20	
stolonifera—RED OSIER DOGWOOD 8' Dark red branches, white flowers and frui spreading habit.	it,	ne		
3-4' 4-5'	30 35	.25 .30		
stolonifera flaviramea—YELLOWTWIG DO A yellow branched form of Stolonifera.		DD 8' M	lay-June .18	
18-24" 2-3' CORYLUS—Hazel or Filbert americana—AMERICAN HAZELNUT 10' Thrives in shady locations, upright growth edible nuts.	30	.25	.22	
2-3'	45 60 85	.30 .40 .50 .75 1.00	.25 .35 .45	.20
COTONEASTER acutifolia—PEKING COTONEASTER 12' Good hedge shrub, dark green leaves, black	June ck			
fruit, red and yellow fall foliage. 15-18"	25	.12 .18 .22 .30	.08 .15 .20 .25	.12 .18
divaricata—SPREADING COTONEASTER Pink flowers, branches studded with re fruit in fall and winter. Arching branches	ed	ne		
18-24"	40 50 75	.35 .45 .60 .9 0	.30 .40	.25 .30
foveolata—10' May-June A fine massive shrub for screening. Heave glossy leaves, black berries, orange and the following in fall.	vy, nd			
scarlet foliage in fall. 18-24"	35	.22 .32 .37	.20 .30 .35	
racemiflora soongarica—4' May Abundance of large red berries, grayish foliage.				
2-3'		.45 .55	.40 .50	

	to 9 ach	10 to 29 Each	30 to 249 Each	250 & Up Each
CYDONIA—(CHAENOMELES)	ucii	Lacii	Eddii	пасп
japonica—JAPAN FLOWERING QUINCE 6' Clusters of scarlet flowers. Much noticed in spring, large fragrant fruits.	Marc	ch-April		
15-18"	.22	.15 .18 .25	.12 .15 .20	.10 .12 .18
Low spreading shrub, orange flowers, yellow fruit.		n-Aprıl		
12-15" 15-18" 18-24"	.22	.15 .18 .25	.12 .15 .20	.10 .12 .18
DAPHNE				
cneorum—GARLAND FLOWER 1' April-M Dwarf evergreen shrub. Rosettes of fragrant pink flowers in spring and often again in fall.	ay			
6-9" B&B		.55 .75	.50 .70	
DESMODIUM (See Lespedeza)				
DEUTZIA				
gracilis—SLENDER DEUTZIA 3' May Graceful dwarf shrub. Snow-white flowers. 15-18"		.22 .30	.20 .25	
18-24"		.25 .35	.22 .30	
lemoinei—LEMOINE DEUTZIA 5' May Semi-dwarf. Creamy white flowers. 18-24"		.22 .27	.20 .25	
scabra—PRIDE OF ROCHESTER 10' May Double white flowers, tinged pink. 2-3'		.18	.15	
3-4'		.20	.18	
DIERVILLA				
sessifolia—SOUTHERN BUSH HONEYSUCKL Leaves resembling Weigela, yellow flow- ers, spreading.		June-July		
15-18" 18-24" 2-3'	.25	.18 .20 .25	.15 .18 .22	.16 .20

THE HOLLING				
	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
ELAEAGNUS—Oleaster				
angustifolia-RUSSIAN OLIVE 20' June				
Silvery foliage, yellowish white fragran	t			
flowers. Large gray fruit.				
3-4'	35	.30	.25	.22
4-5'	45	.40	.30	.28
5-6'	50	.45	.35	.30
6-7'	55	.50	.40	
7-8'	6 0	.55		
argentea—SILVERBERRY 12' May				
Silvery leaves, fragrant flowers, spineless.				
2-3'	40	.35	.30	
3-4'	50	.45	.40	
4-5'	60	.50		
umbellata 12' May-June				
Oval scarlet fruit, green leaves.				
2-3'	40	.35	.30	
3-4'	50	.45	.40	
3-4				
EUONYMUS—Spindle-Tree				
	ar Iuno			
Winged branches, small yellowish flowers	ο,			
red fruits. Crimson fall foliage.	50	.45	.40	
	00			
alata compacta 6' May-June	:			
Dwarf compact form of alatus. Wings negl	1-			
gible. Intense red fall coloring.	85	.75		
3-4'				
americana—STRAWBERRY BUSH 8' June	€			
Green branches, orange fruit in September.	75	.65	.60	
18-24"	/3	.00	.00	
atropurpurea—BURNING BUSH 20' Jun	e			
Scarlet fruit in October.		00	.25	.22
2-3'	35	.30	.23	.28
3-4'		.40	.50	.20
Dindedia Willich Education	15'	June		
Largo logues orange seeds.			0.5	.22
2-3'	35	.30	.25 .30	.28
3-4'	45	.40	.40	.20
4-5'	50	.45 .50	.45	
5-6'			.40	
		une		
Large shrub or small tree. Yellow flower	S;			
pink fruits hang on long after foliage ha	as			
drammad		.30	.25	
2-3'	,., ,35	.30	.30	.28
3-4'	40	.45	.40	.35
4-5'		, ,40	10	
patens 10'				
Good shrub for winter effect. Holds leave	es			
till apring Slow growing and compact, iii	ne			
for borders or planted with small eve	∋I'-			
greens.	1.50	1.25		
3-4'	1.30	, 1.40		

DITIODO				
	to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
EUONYMUS—Spindle Tree				
radicans—WINTERCREEPER 15' Can be used as vine for edging or ground cover. Evergreen.				
12-15"	.35	.22 .30	.20 .25	
radicans vegetus—BIGLEAF WINTERCREEPF Large glossy green foliage, scarlet berries. Evergreen.	ER			
12-15"		.35 .40	.30 .35	
yedoensis —YEDDO EUONYMUS 15' Pink and orange fruit, bright fall coloring.	00	0.5	00	
18-24"	.30 .40 .50	.25 .35 .40	.20 .30 .35	
grandiflora 10' May-June Pearl like buds, pure white flowers. Prefers moist soil.				
FORSYTHIA—Goldenbell	.25	.22	.20	
intermediα—BORDER FORSYTHIA 8' Apri 18-24''	.20 .25 .30 .35	.15 .22 .25 .30	.12 .18 .22	.16
intermedia spectabilis—SHOWY BORDER FC Profuse yellow flowers in early spring.	ORSYTH	HIA 8'	April	
2-3' 3-4' 4-5'	.25 .30 .35	.22 .25 .30	.18 .22 .27	.16 .20 .25
suspensa 6' April Drooping habit, excellent for massing and planting on banks.				
18-24'' 2-3' 3-4' 4-5'	.25 .30	.15 .22 .25 .30	.18 .22	
suspensa fortunei—FORTUNE FORSYTHIA Upright shrub with slightly drooping branches.	8' Ar	oril		
3-4' 4-5' 5-6'	.30 .35 .40	.25 .30 .35	.22 .27 .30	.20 .25 .28
virdissimα—GREENSTEM FORSYTHIA 8' Bright green stems, glossy leaves. 18-24"	April	.15		
2-3' 3-4'	.25	.22	.18 .25	.16 .20

	l to 9 Each	10 to 29 Each	30 to 249 Each
HALESIA—Silverbell			
tetraptera—40' April Bell-shaped white flowers, winged fruit. 3-4'	50	.45	.40
HAMAMELIS—Witch Hazel			
virginiana—COMMON WITCH HAZEL 1 Yellow fringe-like flowers, appear after foliage has dropped. The dark brown seed add to its attraction. 2-3' 3-4' 4-5'	er ds 45 60	.40 .50 .75	.35 .45 .65
HIBISCUS			
hibiscus syriacus 12' August-Septembe Blooms when no other shrub is showin flower. Large shrub for specimen or grouplanting.	ng		
Anemonaeflorus, double pink			
Boule de feu, double red Ardens, double violet			
Joan d'Arc, double white			
Shrubform 2-3'	20	.16 .20	.14 .18
Treeform 3-4'	35	.30 .40	.25 .35
HIPPOPHAE—Seα Buckthorn			
rhamnoides 12' Narrow silvery leaves, orange berries. 2-3' 3-4' 5-6'	35	.30 .40	
HONEYSUCKLE—See LONICERA			
HYDRANGEA			
arborescens grandiflora—SNOWHILL H	YDRANG	EA 5' J	une-July
Large heads of white flowers. 15-18"	25	.16 .20 .25	.14 .18 .22
paniculata grandiflora—PEEGEE HYDRA Enormous trusses of white flowers cha	ANGEA ng-	8' Augu	st-Septembe r
ing to pink and bronze in fall. 15-18" 18-24" 2-3'	25	.16 .20 .25	.14 .18 .22

Ī	to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
HYPERICUM—St. Johnswort aureum—GOLDEN ST. JOHNSWORT 4' Ju 18-24"	.30	.25 .30		
ILEX—Holly verticillata—WINTERBERRY 6' June Also known as Michigan Holly. Valued for its scarlet berries, which remain on the branches till midwinter. 4-5'		.70	.60	
5-6'	1.00	.85	.75	
KERRIA japonica—JAPANESE KERRIA June-Septem Graceful slender branches, stems and leaves bright green. Rich dark yellow flow-	nber	5′		
ers. 15-18" 18-24" 2-3'	.40	.25 .35 .40	.22 .30	
KOLKWITZIA amabilis—BEAUTYBUSH 8' May Arching sprays of pink flowers. 2-3'	.45	.40		
3-4'		.50		
LESPEDEZA formosa—PURPLE BUSHCLOVER 6' Septe Herbaceous shrub. Small rosy pea shaped flowers.	embe:	r		
No. 1	.30	.25		
LIGUSTRUM—Privet amurense—AMUR PRIVET 12' Very hardy hedge plant. 12-18"	.05	.04	.03	.025
18-24''		.05 .06	.04	.035 .045
ibolium—IBOLIUM PRIVET 8' Hardy privet with glossy leaves. 18-24''	.06	.05	.04	.035
2-3'	.08	.07	.06	.05
Spreading habit, arching branches, covered with black berries in the fall. 2-3' 3-4'		.16 .20	.14 .18	
ibota regelianum—REGEL PRIVET 8' A low spreading form which retains the berries all winter.			,	
15-18'' 18-24'' 2-2 ¹ / ₂ '	.25	.12 .20 .30	.10 .18 .27	.16 .25

	Each 1 to 9	Each 10 to 29	Each 30 to 249	Each 250 & Up
LIGUSTRUM—Privet				
ovalifolium—CALIFORNIA PRIVET 12' Almost evergreen. Glossy foliage. Less hardy than Amur Privet.				
12-18" 18-24" 2-3'	.06	.04 .05 .06	.03 .04 .05	.025 .035 .045
LILAC—See SYRINGA				
LONICERA—Honeysuckle				
bella albida—WHITE BELLE HONEYSUCK White flowers, showy red fruit. 2-3')' April-M .18	lay .15	
3-4'	25	.22	.20	.18
fragrantissima—WINTER HONEYSUCKLE	8' Ma	rch-April		
Spreading shrub with deep green almos evergreen foliage. Fragrant cream-colored	t			
flowers. 18-24" 2-3'	25	.18 .22 .30	.20 .25	
3-4'	35	.30	.23	
halleana—see Vines				
maacki—AMUR HONEYSUCKLE 12' Jun Blooms later than other Honeysuckles White and yellow flowers, fruit in Septem				
ber. Very upright. 2-3'	30	.25	.20	00
3-4'	40	.30 .35 .40	.25 .3 0 .35	.22
morrowi—MORROW HONEYSUCKLE 6' Yellowish white flowers and red fruit. Low	May-J	une		
spreading habit. 2-3'	25	.22	.18	.16
3-4'4-5'	35	.30 .30	.25 .25	.22
sempervirens—see VINES				
syringantha wolfi May-June 2' Very low growing, almost horizontal narrov leaves, fragrant lilac-carmine flowers, re	w d			
fruit. 18-24''	40	.35	.30	.25
2-3'	60	.40 .50	.45	
tatarica alba—WHITE TATARIAN HONE	YSUCK s.		April-May	
2-3'	20	.18 .22	.15 .20	
4-5'	30	.28		

Dinio Do				
	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
LONICERA—Honeysuckle				
tatarica rosea—PINK TATARIAN HONEYS	UCKLE	12' Apr	il-May	
Best known pink-flowering honeysuckle.	20	.18	.15	
2-3'	20	.22	.13	
3-4'	25	.22	.25	
4-5'				
tatarica siberica—RED TATARIAN HONEY	SUCKL	E 12' A	pril-May	
A red-flowering variety.				
2-3'	20	.18	.15	
3-4'	25	.22	.20	
4-5'	30	.28	.25	.22
5-6'	40	.35	.30	
MAHONIA—Hollygrape				
aquifolium—OREGON HOLLYGRAPE 5'	May			
Likes shady location. The shiny dark green	1			
leaves turn bronze in Fall and remain on the				
stems all Winter. Blue berries.				
15-18" B&B	. 1.25	1.00		
18-24" B&B	.1.50	1.25		
PHILADELPHUS—Mockorange				
coronarius—SWEET MOCKORANGE 10'	May-Iu	ıne		
Vigorous grower, very fragrant.				
18-24"	.15	.12	.10	
2-3'	.20	.18	.15	
3-4'		.22	.20	
4-5'		.28	.25	
		Marr Tuno		
coronarius aureus—GOLDEN MOCKORANO	JE J	May-june	;	
A smaller, yellow-leaved variety.	25			
15-18"				
gordonianus—GORDON MOCKORANGE	8′ Jun	e-July		
Bears a profusion of white flowers, slightly	7			
fragrant.				
18-24"		.12	.10	
2-3'	20	.18	.15	
3-4'	25	.22	.20	
4-5'	30	.28	.25	
grandiflorus 10' May-June				
Large white flowers.				
2-3'	20	.18	.15	
3-4'		.22	.20	.18
lemoinei — LEMOINE MOCKORANGE 5'				
Semi-dwarf, dense racemes of small frag	-			
rant white flowers.				
2-3'	30	.25		
virginale—VIRGINAL MOCKORANGE 8'	May-	June		
Very large, semi-double fragrant white		Julie		
flowers.				
18-24"	25	.20	.18	
2-3'		.30	.25	
3-4'		.40	.25	
V-x	± U	.40	.00	

10 to 23 30 to 246 Each Each Each Each Each					
PHILADELPHUS—Mockorange Bouquet Blanc 5' May Branches are covered with double white flowers, very fragrant. 18-24"					250 & Up
Bouquet Blanc 5' May Branches are covered with double white flowers, very fragrant. 18-24"	PHILADELPHUS—Mockorange	Lacii	Daen	Lucii	Lacii
Branches are covered with double white flowers, very fragrant. 18-24"					
18-24"	Branches are covered with double white)			
PHYSOCARPUS—Ninebark opulifolius—COMMON NINEBARK 10' May-June Thrives in partial shade, fast growing, at- tractive red seedpods. 2.3'	flowers, very fragrant.	0.5	0.0		
PHYSOCARPUS—Ninebark opulifolius—COMMON NINEBARK 10' May-June Thrives in partial shade, fast growing, attractive red seedpods. 2.3'					
opulifolius—COMMON NINEBARK 10' May-June Thrives in partial shade, fast growing, at- tractive red seedpods. 2-3'		50	.20		
Thrives in partial shade, fast growing, attractive red seedpods. 2-3'					
tractive red seedpods. 2-3'	opulifolius—COMMON NINEBARK 10'	May-Jur	ne		
2-3'		-			
3.4'	tractive red seedpods.	20	.18	.15	
opulifolius aureus—GOLDEN NINEBARK 10' May-June A yellow leaved variety. 2.3'	3-4'	30			
opulifolius aureus—GOLDEN NINEBARK 10' May-June A yellow leaved variety. 2.3'	4-5'	40	.35	.30	
A yellow leaved variety. 2-3'			lay-June		
2.3'	A vellow leaved variety.				
opulifolius nanus—DWARF NINEBARK 5' Compact shrub with small leaves, excellent for hedges. 2-3'	2-3'	20			
opulifolius nanus—DWARF NINEBARK 5' Compact shrub with small leaves, excellent for hedges. 2-3'	3-4'	30			
Compact shrub with small leaves, excellent for hedges.			.55	.50	
for hedges. 2-3' .25 .20 .18 PRUNUS glandulosα—PINK FLOWERING ALMOND 6' May Very double, rose-like flowers cover the branches before the leaves are out. Double pink. 12-18" .25 .20 18-24" .30 .25 .20 2-3' .40 .35 .30 3-4' .50 .45 .40 .35 .30 glandulosa alba—WHITE FLOWERING ALMOND Double White. 18-24" .30 .25 .20 .25 .20 .23' .40 .35 .30 .35 .30 .30 .25 .20 .23' .40 .35 .30 .35 .20 .34 .25 .20 .34 .40 .35 .30 .35 .30 .45 .40 .35 .30 .45 .40 .56 .60 .50 .45 .40 .56 .60 .50 .45 .40 .56 .60 .50 .45 .40 .45 .40 .45	opulifolius nanus—DWARF NINEBARK	,			
PRUNUS glandulosa—PINK FLOWERING ALMOND 6' May Very double, rose-like flowers cover the branches before the leaves are out. Double pink. 12-18"		π			
PRUNUS glandulosα—PINK FLOWERING ALMOND 6' May Very double, rose-like flowers cover the branches before the leaves are out. Double pink. 12-18"	for hedges.	25	.20	.18	
Glandulosa	2-0				
Very double, rose-like flowers cover the branches before the leaves are out. Double pink. 12-18"					
branches before the leaves are out. Double pink. 12-18"	glandulosa—PINK FLOWERING ALMOND	6′ I	May		
12-18"	Very double, rose-like flowers cover the	e			
12-18"		.e			
18-24"	12-18"	25			
2-3'	18-24"	30			
glandulosa alba—WHITE FLOWERING ALMOND Double White. 18-24"	2-3'	40		.30	
Double White. 18-24" .30 .25 .20 2-3' .40 .35 .30 pissardi—see TREES tomentosa—NANKING CHERRY 8' Aprıl-May Light pink flowers before leaves appear. Covered in June with small cherries. .20 .18 .15 2-3' .30 .25 .20 3-4' .40 .35 .30 4-5' .50 .45 .40 5-6' .60 .50 .45 virginiana—CHOKECHERRY 30' May Dense racemes of white flowers. .40 .35 .30 3-4' .40 .35 .30 4-5' .50 .45 .40					
18-24"		LMONI)		
2-3'	Double White.	30	.25	.20	
pissardi—see TREES tomentosa—NÄNKING CHERRY 8' April-May Light pink flowers before leaves appear. Covered in June with small cherries. 18-24" 20 18 15 2-3' 30 25 20 3-4' 40 35 30 4-5' 50 45 40 5-6' 60 .50 .45 virginiana—CHOKECHERRY 30' May Dense racemes of white flowers. 3-4' .40 .35 .30 4-5' .50 .45 .40	2-3'	40			
triloba—see TREES tomentosa—NANKING CHERRY 8' April-May Light pink flowers before leaves appear. Covered in June with small cherries. 18-24"					
tomentosa—NANKING CHERRY 8' April-May Light pink flowers before leaves appear. Covered in June with small cherries. 18-24" .20 .18 .15 2-3' .30 .25 .20 3-4' .40 .35 .30 4-5' .50 .45 .40 5-6' .60 .50 .45 virginiana—CHOKECHERRY 30' May Dense racemes of white flowers. .40 .35 .30 3-4' .40 .35 .40 4-5' .50 .45 .40	_				
Light pink flowers before leaves appear. Covered in June with small cherries. 18-24"					
Covered in June with small cherries. 18-24"	tomentosa—NANKING CHERRY 8' Apr	ıl-May			
18-24" .20 .18 .13 2-3' .30 .25 .20 3-4' .40 .35 .30 4-5' .50 .45 .40 5-6' .60 .50 .45 virginianα—CHOKECHERRY 30' May Dense racemes of white flowers. 3-4' .40 .35 .30 4-5' .50 .45 .40	Light pink flowers before leaves appear	11.			
2-3'	18.24"	20	.18	.15	
3-4'	2-3'	30			
1.5	3-4'	40			
virginiana—CHOKECHERRY 30' May Dense racemes of white flowers. .40 .35 .30 3-4' .50 .45 .40	4-5'	50 en			
Dense racemes of white flowers. 3.4'		00	.50		
Dense racemes of white flowers. 3.4'	virginiana—CHOKECHERRY 30' May				
3-4	Dense racemes of white flowers.	40	25	30	
4-5'	3-4'	40			
	4-5'	60		.50	

SHRUBS	Int M	JNKOE 1	I HAGHUP
1 to 9	10 to 29	30 to 249	250 & Up
Each	Each	Each	Each
RHAMNUS—Buckthorn			
cathartica—COMMON BUCKTHORN 12' June			
Vigorous shrub, loaded with black berries			
in fall.			
2-3'	.18	.15	.12
3-4'	.25	.20	.18
4-5'	.30 .35	.25 .30	.22
	.33	.50	
frangula—GLOSSY BUCKTHORN 12' June			
Shiny leaves, thornless branches, fine for high hedges.			
3-4'	.25	.20	
4-5'	.30	.25	.22
5-6'	.35	.30	.25
6-8'	.50	.45	120
8-10'	.60		
RHODOTYPOS			
kerrioides—JETBEAD 6' April-May			
Light green foliage, white flowers followed			
by black fruits. Good shrub for shady			
places.			
15-18"	.18	.15	
18-24"	.22	.20	
2-3'	.27	.25	.20
3-4'	.35	.32	
RHUS—Sumac			
canadensis—FRAGRANT SUMAC 6' April-Mar	v		
Valued for its orange and red fall-color. Low	1		
spreading habit.			
15-18"	.18	.15	
18-24''	.35	.30	
2-3'	.45	.40	
3-4'	.50	.45	
copallina—SHINING SUMAC 20' July			
Crimson fruit in September.			
3-4'	.35	.30	
cotinus—PURPLE FRINGE 12' July-August			
Also called Smoketree because the feathery			
purple flowers give the effect of smoke.	10		
12-15"	.18		
15-18"	.22 .45		
3-4'	.45		
	.00		
RIBES—Currant			
odoratum—GOLDEN CURRENT 6' April			
Yellow fragrant flowers.			
2-3'	.25		
3-4'	.35		
4-5'	.45		
ROBINIA			
hispidαROSE ACACIA 4' Mαy			
Rose colored flowers.			
3-4'	.35	.30	

	to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
SAMBUCUS—Elder				
canadensis—AMERICAN ELDER 10' June	-July			
Flat heads of white flowers, black berries.	25	.20	.18	
4-5'		.25	.22	
canadensis aurea—GOLDEN ELDER 10' J		ly		
Yellow leaves, white flowers.				
3-4'		.25		
canadensis acutiloba—CUTLEAF ELDER 10	o' Ma	y-June		
Fernlike foliage, white flowers.	25	.20	.18	
4-5'	.30	.25	.22	
SORBARIA—False Spirea				
sorbifolia—URAL FALSE SPIREA 6'				
Plumes of creamy white flowers.				
2-3'		.18	.15	
3-4'	.25	.22	.20	
SPIRAEA				
Anthony Waterer Spirea 3' June-Septemb	er			
Flat red flower heads.		10	15	
15-18''		.18 .22	.15 .20	
arguta—GARLAND SPIREA 6' April-May		.44	.20	
Fern like foliage, minute white flowers.				
18-24"	20	.18	.15	
2-3'		.22	.20	
billiardi—BILLIARD SPIREA 6' July-Septe	mber			
Dense panicles of pink flowers.	25	.22	.20	.18
3-4'		.27	.25	.22
bumalda—BUMALDA SPIREA 3' June-Se		er		
White flower heads.				
12-15"	15	.12	.10	
15-18''	18	.15 .18	.12 .16	
18-24" froebeli—FROEBEL SPIREA 4' May-June	20	.10	.10	
Similar to Anthony Waterer Spirea, slightly				
larger, foliage color in autumn.				
12-15''	.15	.12	.10 .12	.07 .10
15-18"	.18	.15 .18	.15	.13
	20	.10		
salicifolia 6' July-August Spikes of light pink flowers.				
18-24"	.15	.12	.10	
2-3'	20	.18	.15 .20	.12 .18
3-4'		.22	.20	.10
thunbergi—THUNBERG SPIREA 4' April				
Dwarf plant with graceful arching branches, pure white flowers and dainty light green				
leaves.				
15-18"	15	.12	.10	
18-24"	20	.18 .22	.15 .20	
2-3'	20	.44	.20	

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
SPIRAEA van houttei—VAN HOUTTE SPIREA 10'	April-M			
A beautiful sight when the arching branch es are loaded with clusters of snow-whit flowers.	е			
2-3'	20	.12 .18 .25	.10 .15	.08 .12
SYMPHORICARPOS—Snowberry				
chenaulti—IMPROVED CORALBERRY 5' Drooping branches, dainty small leaves, re- berries. Holds foliage very late.	June-Jı d	ıly		
15-18" 18-24" 2-3'	15	.10 .12 .18	.08 .10 .15	
	ine	.20	120	
18-24''	20	.12 .18	.15	
racemosus—SNOWBERRY 6' June-July Large white berries which remain after th		.22	.20	
foliage has dropped. 15-18"	15	.10 .12	.08 .10	
2-3' 3-4' vulgaris—CORALBERRY 6' June-July Bunches of red berries follow the small pin	25	.18 .22	.15 .20	.18
flowers. 18-24'' 2-3'	15	.12	.10 .15	.14
3-4'	25	.22	.20	.18
SYRINGA—Lilαc josikαeα—HUNGARIAN LILAC 12' Jun	e			
Violet flower clusters, late blooming. 18-24" 2-3' 3-4'	20 30	.12 .18 .25	.10 .15 .20	.14
4-5' persicα—PERSIAN LILAC 10' April-1 Small narraw leaves. Large clusters of lilo	May	.35		
colored flowers. 18-24" 2-3' 3-4'	30	.15 .25 .35	.10 .20 .30	.18
villosa—LATE LILAC 8' June Delica'e pink flowers, large leaves. 18-24''		.12	.10 .15	
3-4' 4-5'	30	.25	.20	

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
SYRINGA—Lilac	⊼il 1	M		
vulgaris—COMMON PURPLE LILAC 18' Free bloomer, vigorous grawer.	Aprii-i			
18-24"		.12 .18	.10 .15	.12
3-4'		.25	.22	.20
vulgaris alba—COMMON WHITE LILAC	18' Ap	ril-May		
Single white flowers. 2-3'		.25 .40		
HYBRID LILACS				
Single white. Double white. Single dark red. Double dark red.				
Single light red.				
Double light red, fading to blue.	50	.45		
3-4'	75	.65		
TAMARIX				
africana—AFRICAN TAMARIX 12' Ma Reddish-brown bark, pink flowers.	-			
3-4'	20	.18 .22	.15 .20	
4-5'		.28	.25	
amurensis—AMUR TAMARIX 12' June	July			
Blue foliage, rosy-pink flowers.	25	.22	.20	.15
5-6′	30	.28	.25	.20
VIBURNUM All Viburnums may be planted in shade.				
americana—AMERICAN CRANBERRYBUS Yellow berries which turn red; also value for the reddish fall color of the foliage.	SH 12' ed	April-May	T	
2-3'	40	.35 .40	.30 .35	
3-4'	50	.45	.40	
carlesi—FRAGRANT VIBURNUM 5' M	αy			
Very fragrant, pink-flushed flowers. 15-18" B&B	1.00	.90		
cassinoides—WITHE-ROD 8' June Brilliant fall foliage, pink fruit changing				
blue. 2-3' 3-4'		.50 .55	.45 .5 0	
dentatum—ARROWWOOD 12' May Bright green foliage, black berries.				
2-3'	30 75	.22 .28 .65	.20 .25	
6-8'	1.25	1.00		

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
VIBURNUM				
lantana—WAYFARING TREE 15' May Heavy, dark green leaves. The red berrie turn black. Good for screens. 2-3'	30	.25 .35 .45	.20 .30 .40	
5-6'		.50 .65	.45	
lentago—NANNYBERRY 20' May Large blue black fruit. Brilliantly colore leaves in fall.	d			
2-3'		.35	.30	.25
3-4'		.55 .65	.50 .60	
5-6'	1.00	.90	.00	
6-7'	1.25	1.10		
opulus—EUROPEAN CRANBERRYBUSH	12' A	April-May		
Large bunches of single berries. The flower		-1		
are white. 18-24''	25	.20	.18	
2-3'		.20	.18	
3-4'	40	.38	.35	
4-5'	50	.45	.40	
opulus nanus—DWARF CRANBERRYBUSF For borders and low hedges. Very compac				
6-9''		.25		
4-6′′	25	.20		
opulus sterile—COMMON SNOWBALL Large snowball-like flowers.		pril-May		
2-3'		.30 .45	.25 .40	.22 .35
3.4' sieboldi—SIEBOLD VIBURNUM 10' New. Large shiny leathery leaves. The light red fruits turn dark.		.45	.40	.35
18-24"	30	.25		
2-3'		.35		
4-5'		.50		
5-6′		.70 1.00		
tomentosum—DOUBLEFILE VIBURNUM Large white flowers followed by red berrie		y-June		
3-4'	50	.45		
tomentosum plicatum—JAPANESE SNOW Large balls of white flowers.		8' May-Ji	une	
2-3'		.40 .50		

	to 9 ach	10 to 29 Each	30 to 249 Each	250 & Up Each
WEIGELA				
Abel Carriere—ABEL CARRIERE WEIGELA Red flowers, good bloomer.	6′	May		
2-0	.25	.22	.20	
candida—SNOW WEIGELA 6' May-June White flowers.				
18-24"		.18 .22		
2-3' 3-4'		.25		
Eva Rathke—REDFLOWERING WEIGELA 5 Deep red, trumpet shaped flowers.	' M	a y -June		
12-15"	.15	.12	.10	
15-18"		.18 .25	.15 .20	
2-3'		.30	.25	
floribunda—CRIMSON WEIGELA 8' May-J Much stronger grower than Eva Rathke. Red flowers.	une			
15-18"		.12	.10	
18-24''	.20	.18 .22	.15 .20	
3-4'		.30	.25	
hendersoni — HENDERSON WEIGELA 8' N	Лау-Ј	une		
Smooth, slender stems, pink flowers.	15	.12	.10	
2-3'		.18	.15	.12
3-4'	.25	.20	.18	.15
4-5'	.30	.27	.25	
rosea—PINK WEIGELA 8' May-June Pink flowers, erect grower.		10	15	
2-3'	.20 .25	.18 .20	.15 .18	
variegata—VARIEGATED WEIGELA 5' M Green leaves with cream colored margin, pink flowers.	ay-Iu	ine		
15-18"	.15	.12	.10	
18-24"	.20	.18	.15	

SHADE TREES

All trees are priced bare root unless marked B&B.

ACER—Maple	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
dasycarpum—SILVER MAPLE 80' Fast growing tree, leaves silvery u	nderneath.			
8-10' 1 ½-1 ½' 1 ½-2'' 2-2 ½'' 2 ½-3'' 3-4'' 4-5''	1.00 1.50 1.75 2.25 3.50	.75 .90 1.35 1.60 2.00 2.75 4.00	.70 .85 1.25 1.50	.65 .80 1.10
dasycarpum wieri—WIER MAPLE 80' Drooping branches, cut leaves.				
5-6' 6-8' 1 ½-2" 2-2½" 2 ½-3"		.60 .75 1.50 1.75 2.50		
ginnala—AMUR MAPLE 25' Brightly colored leaves in fall.				
2-3'		.30 .40 .50	.25 .35 .45	.20 .30
negundo—BOXELDER 50' Bright green foliage, fast growing.				
6-8'	80 1.00	.45 .65 .85 1.25		
palmatum atropurpureum—JAPANESE Grafted Small, graceful specimen tree for color trast. Very popular.		F MAPLE	15'	
3-3½' B&B				

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
ACER-Maple				
platanoides—NORWAY MAPLE 50'				
Broad, round top. Fine for street planting. 6.8' 8-10' 1 \(^1\sqrt{2}\)'' 1 \(^2\)-2'' 2 \(^2\)-2'' 3 \(^3\)-2'' 4-5'' 5-6'' 6-7'' 7-8'' platanoides schwedleri—SCHWEDLER MA	1.50 1.75 2.25 3.00 3.50 4.25 6.00 7.00 9.00 11.00	1.10 1.35 1.60 2.00 2.75 3.00 3.75 5.50 6.50 8.00	1.00 1.25	
Purple leaves in spring.	IFLL JU			
2-2½" 21/2-3" 3-3½"	3.75	3.00 3.50 4.00		
rubrum—RED MAPLE 75' Scarlet fall foliage, light bark. 2½-3" 3-3½" 3½-4" saccharum—SUGAR MAPLE 75'	7.50			
Foliage turns bright yellow and red in fall 6-8'	1.25 1.75 2.00 2.50 3.00 3.75 4.50 5.50	1.00 1.50 1.75 2.25		
AESCULUS				
hippocastanum—HORSECHESTNUT 70' White flowers, tinged red. 5-6' 6-8' 2-21/2"	1.75	1.00 1.50	.85	
AILANTHUS glandulosa—TREE OF HEAVEN 60' Rapid growing tree. Will stand smoke. 8-10'	1.25			
ARALIA spinosa—DEVILS WALKINGSTICK 25' Tropical appearance. Large clusters of greenish white flowers in July. 5-6'	75 85	.65 .75 .90		

IREES				
	1 to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
ASH	see Fraxinus			
דווייםם	A-Birch			
alba-	—BITCH -EUROPEAN WHITE BIRCH 40' tive white bark.			
	5-6' .75 6-8' 1.25 8-10' 1.50	.65 1.00 1.25	.50 .85 1.00	
clump	8			
•	6-8' B&B 2 Stems. 3.50 6-8' B&B 3 Stems. 4.50 8-10' B&B 2 Stems. 4.50 8-10' B&B 3 Stems. 6.00 r sizes available.			
	aciniata—CUTLEAF WEEPING BIRCH 40' ing branches, deeply cut leaves.			
	8-10'	1.75		
CATA				
	osα—WESTERN CATALPA 35' ant white and yellow flowers.			
	5-6'	.25 .35		
bunge	i—UMBRELLA CATALPA			
,	6' 1 Year Heads1.00	.85	.75	.55
canad	IS—Redbud lensis—AMERICAN REDBUD 30' April ers of red flowers before the leaves			
appec	3-4'	.35	.30	
	4-5' .50 5-6' .65	.45 .55	.40 .50	
	IUS—Dogwood	May		
	α—WHITE FLOWERING DOGWOOD 30'	May		
Large	white flowers. 3-4' B&B 1.50 4-5' B&B 2.00 5-6' B&B 2.75 6-7' B&B 4.00 7-8' B&B 5.50 8-10' B&B 7.00	•		
florid	a rubra—RED FLOWERING DOGWOOD 3 3-4' B&B 2.50 4-5' B&B 3.50 5-6' B&B 4.00 6-7' B&B 6.00	80' May		

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
CRATAEGUS—Hawthorn				
coccinea—SCARLET FRUITED HAWTHOR 4-5' 5-6' 6-8' 8-10' cordata—WASHINGTON THORN 30' N Beautiful fall coloring. Clusters of sma bright red berries. Upright habit of growt fine for hedging.	1.50 1.75 2.50 3.50 May-June	1.25 1.50 2.25 3.25	1.10	
3-4' 4-5' 5-6' 6-8' crusgalli—COCKSPUR THORN 40' May- Branches wide spreading. The red fruit ofte remains on the branches till spring. Gloss leaves, assuming orange and scarlet colo in fall.	1.25 1.75 2.50 une	.80 1.10 1.65	.75 1.00 1.50	
3-4' 4-5' 5-6' mollis—DOWNY HAWTHORN 30' Apr One of the most decorative Hawthorns wi large leaves. The showy fruits drop aft ripening.	1.25 1.75 ril-May th	.80 1.10 1.65	.75 1.00 1.50	
3-4' 4-5' 5-6' 6-8' 8-10' oxyacantha—ENGLISH HAWTHORN 15 Fragrant white flowers followed by scar	1.00 1.50 2.00 3.25	.65 .85 1.25 1.75	.50 .75 1.00	
fruits. 2-3' 3-4' 4-5' 5-6' 8-10' 10-12' oxyacantha splendens —PAUL SCARLET		.30 .40 .60 .75	.25 .35 .50	
Double rose flowers. 3-4'		.65 .75 .90	.50 .65 .80	
Broad-headed tree, white flowers, red from 3-4'	75 1.00	.65 .85 1.25	.50 .75 1.00	
tomentcsa 20' May Spreading small tree, gray bark, elongat red fruit	75	.65	.50	
4-5'	1.00	.85	.75	

TREES	Ing M	ONROL .	NOTIBLITT
l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
FAGUS—Beech sylvatica—EUROPEAN BEECH 80' Light gray bark. The leaves turn yellow in fall and remain on the tree nearly all winter. 2-3' B&B 2.75 3-4' B&B 3.00 4-5' B&B 3.50 5-6' B&B 4.50	2.50 2.75 3.00 4.00		
FRAXINUS—Ash αmericαnα—AMERICAN ASH 75' Also called White Ash. A good tree for street planting. 8-10'	1.00 1.25 1.50 1.75	.90 1.15 1.35	
GINKGO biloba—MAIDENHAIR TREE 70' Fanshaped leaves, bright yellow in fall. 6-8'			
GLEDITSIA triacanthos—HONEYLOCUST 90' Long lived, hardy tree, thorny. Large pods of seeds. 6-8' 1.25 8-10' 1.75 1½-1½'' 2.00 1¾-2'' 2.50 2-2½'' 3.00	1.00 1.50 1.75 2.25	.85 1.25	
LIRIODENDRON tulipfera—TULIPTREE 70' Clean, straight trunk, excellent street tree. Tulip shaped flowers, green and orange. Spring planting only. .85 6-8' .1.25 8-10' 1.50 1½-1½" 1.75 1½-2½" 2.25 2-2½" 2.75 2½-3" 3.25 4-5" 6.50 5-6" 8.00	.75 1.00 1.25	.65	
MAGNOLIA soulangeanα—SAUCER MAGNOLIA 20' Flower petals creamy white inside, rosy pink outside. Blooms in March. 3-4' Β&B 3.00 4-5' B&B 4.00 5-6' B&B 5.50	2.75 3.75 5.25		

	to 9	10 to 29 Each	30 to 249 Each	250 & Up Each
MALUS—Flowering Crab	ucn	Lacii	Lucii	Lacii
arnoldiana—ARNOLD CRAB 12'				
Single pink flowers, yellow fruit.				
3-4'		.35	.25	
4-5'	.50	.40	.30	
atrosanguinea—CARMINE CRAB				
Single carmine, glossy green foliage.				
3-4'		.40	.35	
4-5'	.75	.60	.50	
baccata-SIBERIAN CRAB 30'				
Single white flowers, red or yellow fruit.	40	25		
3-4' 4-5'	.40	.35 .40	.30	.28
	.00	.40	.00	.20
coronaria—WILD SWEET CRAB 30' Delicate pink, single, fragrant.				
3-4'	.40	.35	.25	
4-5'	.50	.40	.30	
5-6′	.60	.50	.45	
6-7'	.80	.70		
DOLGA 20'				
Pink bud, opens white, large red fruit.	4.0	0.5	0.5	
3-4'		.35	.25	
4-5'	.50	.40		
DR. VAN FLEET				
Pink flowers, fast grower.				
4-5'		.40		
5-6'	.60	.50		
eleyi—ELEY CRAB 20'				
Single light red flowers, purple foliage.	.30	.25	.20	
3-4'		.35	.25	.22
4-5'		.40	.30	.28
	20'			
floribundα—JAPANESE FLOWERING CRAB	20			
Crimson flowers.	.40	.35		
4-5'		.40		
ioensis plenα—BECHTEL CRAB 15'				
Double pink flowers.				
18-24"	.35	.30	.25	
2-3'		.40	.35	
3-4'		.60		
4-5'		.80		
pulling media versily dies i les i les i	20′			
Single red flowers, red fruit. 3-4'	40	.35	.25	
3-4'	.50	.40	.30	.28
prunifolia fructo coccineα Scarlet fruit.				
4-5'	.50	.40		
prunifoliα rinki—CHINESE APPLE 15'				
Single white flowers, flushed pink.				
4-5'	.50	.40		

	1 to 9	10 to 29	30 to 249	250 & Up
Cook	Each	Each	Each	Each
MALUS—Flowering Crαb robustα—CHERRY CRAB 15'				
Large white flowers, red fruit.		40		
4-5'		.40		
robusta persicifolia—PEACHLEAF CHERR	Y CRAB			
Long, narrow leaves.	30	.25		
3-4'	40	.35		
sargenti—SARGENT CRAB 6'				
Single white flowers, dark red fruit.	50	.40	.35	
3-4'	75	.60		
scheideckeri—SCHEIDECKER CRAB 20'				
Semi-double pink flowers, yellow fruit.	30	.25		
3-4'	40	.35		
sieboldi—TORINGO CRAB 15'				
Single pink flowers.	50	.40		
4-5'	75	.60		
spectabilis—CHINESE FLOWERING CRA	B 15'			
Semi-double pink flowers, yellow fruit.		.25		
2-3'	40	.25		
4-5'		.40		
toringoides—CUTLEAF CRAB 15' Single while flowers; fruit yellow with re	ed			
cheek.		.35		
3-4'		.40		
zumi calocarpa 15'				
Cerise buds opening pink, small red fruit.	50	.40		
PLATANUS—Plane tree				
occidentalis—AMERICAN PLANE TREE	130'			
The green and creamy white bark gives striking appearance.	α			
8-10'	80	.70	0.5	
$1 \frac{1}{4} - 1 \frac{1}{2}$ "		1.00 1.50	.85 1.35	
2-21/2"	2.25	2.00		
2½-3" 3-3½"		2.75 3.00		
orientalis—ORIENTAL PLANE 80'				
Broad, round head. Will stand trimming. 8-10'	1.25	1.00		
1 1/4-1 1/2"	1.75	1.50		
1 ½-2" 2-2 ½"	2.25	2.00 2.75	1.85	
M M / Z		2		

	to 9 lach	10 to 29 Each	30 to 249 Each	250 & Up Each
POPULUS—Poplar				
bolleana—BOLLEANA POPLAR 60'				
Green bark, silvery foliage. 5-6'	.50	.45	.40	.30
6-8'	.60	.55	.50	.40
8-10′	.75	.65 .80	.60 .75	.50
$1\frac{1}{4} \cdot 1\frac{1}{2}$ "	L.50	1.25	1.00	
2-21/2'	.75	1.50		
2 ½-3'2		2.25		
eugenei—CAROLINA POPLAR 100'				
A large spreading tree; fast grower. 8-10'	.50	.40	.30	
11/4-11/2"	.60	.45	.40	
11/2-2"	.75	.65 .80	.60 .75	
2-2 ½"	1.00	.80	./3	
Pyramidal habit often used for screens.				
5-6'	.25	.20	.18	.15 .22
6-8'	.35 50	.30 .40	.25 .30	.25
11/4-11/2"	.60	.45	.35	.30
11/2-2"	.75	.60	.50	
simoni—SIMON POPLAR 25'				
Outline similar to Lombardy Poplar but				
broader. Much smaller and with shiny leaves.				
5-6''		.45	= 0	40
6-8'	.60	.55 .65	.50 .60	.40
8-10'	1.00	.80	.00	
PRUNUS				
americana—AMERICAN PLUM 20'				
Attractive large fruit, edible.	20	.15	.12	.10
3-4'	.25	.20	.15	.12
5-6'	.30	.25	.20	
6-8'	.40	.30	.25	
americana—newport—PURPLE-LEAVED AM	ERICA	N PLUM .30	20′ . 28	
2-3'	.35 50	.45	.40	
4-5'	.60	.55	.50	
5-6'	.75			
6-7'	1.00			
besseyi—WESTERN SAND CHERRY Prostrate habit, edible fruit, leaves color in				
fall				
2-3'	.40	.30		
cerasifera pissardi—PURPLELEAF PLUM 1	5'			
Reddish purple leaves. 3-4'	.50	.45	.40	
4-5'	.60	.55		

TREES	THE M	ONROE	NUNSERI
1 to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
PRUNUS			
cerasifera pissardi blirieana Purple tinted foliage, semi-double apple- blossom-pink flowers.	1.00		
4.5'	1.00		
serotina—WILD BLACK CHERRY 60' White flowers in long racemes, small black fruit. 6-8'			
subhirtella pendula—ROSEBUD WEEPING CHERRY Drooping branches covered with rose flow-	Y		
61S 2.25 2½-3" 4.00 3-3½" 4.50 3½-4" 5.00 4-5" 6.00			
triloba—FLOWERING PLUM 10'			
Rosettes of double pink flowers. 2-3'	.40 .50 .60	.35 .45 .55	
JAPANESE FLOWERING CHERRIES			
Treeform			
Kwanzan			
4.5'	1.00		
Bushform Kofugen, double, deep pink. Shirofugen, semi-double, pale pink.	0.05		
6-8'	2.25		
QUERCUS—Oak coccinea—SCARLET OAK 90' Brilliant fall color, deeply lobed leaves. 3½-4"			
4-41/2"			
macrocarpa—MOSSYCUP OAK 75'			
$1\frac{1}{2}$ -2"2.50			
2-21/2"	-		
$2^{1/2} \cdot 3''$ 5.00 $3 \cdot 3^{1/2} \cdot 1'$ 6.00			
3½-4"			
4-5"8.00			
palustris—PIN OAK 75'			
Very symmetrical, bright red foliage in fall.			
3½-4"			
5-6''12.00			
6-7''15.00			

7-8''

THE MONROE NORDEN				
	1 to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
QUERCUS rubraRED OAK 80' Smooth, olive green bark. Red fall foliage. 4-5"	.12.00			
SALIX—Willow alba—WHITE WILLOW 60' A large upright tree. Branches somewho	at			
pendulous. 6-8' 8-10' 11/4-11/2' 11/2-2'' 2-2 $\frac{1}{2}$ -3''	1.00 1.25 1.50 1.75	.60 .75 1.00 1.25 1.50 1.75	.50 .65 .85 1.00 1.25	.40 .55 .75
babylonica—BABYLON WEEPING WILLO Long slender olive-green branches. 6-8' 8-10' 1 1/4-1 1/2"	60	.50 .70 .85	.45 .65	.40 .60
blanda—WISCONSIN WEEPING WLLOW Long narrow shiny leaves. 5-6' 6-8' 8-10' 1 1/4-1 1/2"		.35 .50 .70 .85	.30 .45 .65 .80	.25 .40 .60 .75
discolor—PUSSY WILLOW 15' Large catkins. Fine for cutting. 3-4' 4-5' 5-6' 6-8'		.25 .35 .40 .60	.20 .30 .35	.40
elegantissima—THURLOW WEEPING WI Yellow bark, fast grower. 6-8'	50	.45 .60	.40 .55	.35 .50
pentandra—LAURELLEAF WILLOW 30' Glossy foliage, round head. 5-6'	50	.30 .40 .65	.25 .35 .50	.30 .40
SORBUS—Mountain Ash aucuparia—EUROPEAN MOUNTAIN ASI Scarlet berries in August and September. 5-6' 6-8' 8-10'	75	.65 .85 1.25	.60 .80 1.00	

		001 010	050 5 11
l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
TILIA—Linden			
americana—AMERICAN LINDEN 75'			
Fast growing tree with large leaves. Yellow			
flowers in June.			
$2-2\frac{1}{2}$ "			
21/2-3"2.75			
3-31/2"3.50			
31/2-4"			
4-5"			
vulgaris—EUROPEAN LINDEN 75			
Round beaded tree with small leaves. 6-7"12.00			
7-8"			
ULMUS—Elm			
americana—AMERICAN ELM 100' Best known American tree.			
	.40	.35	
6-8′	.60	.55	
8-10'	.80	.75	
1 1/2 - 2"	1.10	1.00	
$2 - 2 \frac{1}{2}$	1.35	1.25	
21/2-3"2.25	2.00		
3-31/2"3.00			
31/2-4"			,
4-5"5.75			
5-6"			
6-7"			
glabra—SCOTCH ELM 75'			
Broad round head, smooth bark.			
2-2 ½''			
2½-3′′			
3½-4"5.00			
4-5"6.50			
6-7"12.00			
7-8"			
8-9''			
MOLINE ELM 80' Smooth bark, large foliage.			
8-10'	.75	.65	
$1\frac{1}{4}\cdot 1\frac{1}{2}$ "		.85	
1½-2"1.50		1.15	
2-21/2"1.75		1.35	
2½-3"		2.00	
3-3½"			
3½-4"			
4-5"	•		
Vase shaped type of American Elm.			
8-10'	i		
$1^{1/4}$ - $1^{1/2}$ ''			
1 ½-2"		1.15	
2-21/2" 1.75			
$2\frac{1}{2}$ -3''			
$3\frac{1}{2}\frac{4}{4}$			
0 72-44.30	,		

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up
ULMUS—Elm pumila—CHINESE ELM 50' Fast growing tree, compact habit of growth.				
6-8' 8-10' 1½-1½'' 1½-2'' 2-2½'' 2½-3'' 3-3½'' 4-5'' 5-6''	.1.35 .1.75 .2.50 .3.00 .3.50 .4.25 .5.00 .6.50	.75 1.10 1.50 2.25 2.75 3.25 3.75	.65 1.00	.50

MICHIGAN PEAT

in bulk, f. o. b. Capac, Mich. \$8.00 per ton, minimum car 25 tons. 1 ton contains $3\frac{1}{4}$ to $3\frac{1}{2}$ yards.



SPIRAL TREE WRAP

Experience has shown that wrapping the trunks of transplanted trees greatly reduces losses due to weather conditions. Wrapping also protects trees against damage from borers and rodents.

SPIRAL TREE WRAP is a creped craft paper made up of two sheets of 30 lb. basis with a layer of asphaltum between them.

SPIRAL TREE WRAP is long lasting. It may be applied to trees in fall or spring after transplanting and should be removed about October 15th.

After the tree trunk has been wrapped with SPIRAL TREE WRAP, it is securely held in place by a criss-cross tie of binder twine or similar cord.

Sold in rolls about 100 feet long. 7 inches in diameter.

	1-9 rolls	10-99 rolls
3" wide\$.30 per roll	\$.25 per roll
5" wide\$.40 per roll	\$.32 per roll
7" wide\$.50 per roll	\$.38 per roll

The average trunk is wrapped about 7 ft. high and the wrap is overlapped about half its width.

The following table is only approximate.

3" wide spiral tree wrap	5" wide spiral tree wrap
3" tree47 ft	28 ft.
6" tree	58 ft.
9" tree	82 ft.
10" tree	108 ft.

EVERGREENS

l to Eac		11 to 30 Each	30 & up Each
ARBORVITAE—THUJA			
occidentalis—AMERICAN ARBORVITAE 40'			
Fine for formal hedges. Also used for			
screens. 2-3'	sn.		
3-4'			
5-6'			
6-7'		2.60	2.50
7-8'		3.10	3.00
8-9'4.0	00 3.50	3.25	
9-10'		4.25	
10-12'	0 5.50	5.25	
12-14'8.0	7.50	7.25	7.00
occidentalis compacta—PARSON GLOBE ARBO	ORVITAE 4'		
Bright green in color	.85		
12-15"			
15-18"			
occidentalis douglasi—DOUGLAS ARBORVITA	E 25'		
Handsome curly foliage, light and dark			
green contrasts. Pyramidal shape.	sn.		
2-3'	าก		
6-7'	50 2.75		
7-8'	50 3.25		
8-9'	00 3.50		
9-10'5.0	00 4.50		
occidentalis elegantissima—GOLDTIP ARBOT	RVITAE 15'		
Branches have yellow tips, most noticeable			
in Spring. Pyramidal form.			
18-24"	.85	.75	1.00
2-3'	50 1.25	1.10	1.00
3-4'	00		
occidentalis luteα—GEORGE PEABODY ARBC	DR VITAE 15	,	
Growth resembling American Arborvitae.			
Bright yellow.	-0		
2-3'	5U 7E		
3-4'	7.5 5.0		
0.4	00		
5-6'	50		
7-8'	50		
occidentalis pyramidalis—PYRAMIDAL ARBO	RVITAE 25'		
Very compact.			
2½-3'1.	75		
3-4'	00		
4-5'	50		
5-6'	75 2.65	2.50	0.75
6-7'	25 3.00	2.85	2.75 3.00
7-8'3.		3.25	3.00
8-9'	25 4.00	3.75	
9-10'	50 NN		
10-11'	00		
11-12'	00		
12-13			

1 to 5 Each		11 to 30 Each	30 & up Each
ARBORVITAE—Thujα			
occidentalis vervaeneana—VERVAENE ARBORV Bushy compact, and broad at base and top. 5-6' 3.00 6-7' 3.50 7-8' 5.00 8-9' 6.00 9-10' 7.50	3.35 4.00 5.00	4.50	4.00
occidentalis wareana—SIBERIAN OR WARE AR Blue green color, cone shaped, slow grower. 18-24" 1.25 2-2½' 1.50 2½-3' 2.25 3-4' 2.75 4.5' 3.50 5-6' 4.75 occidentalis woodwardi—WOODWARD ARBORV Perfectly round, no trimming required. 12-15" 1.00	1.00 1.25 2.00 2.50 VITAE 6'	1.75 2.25	
15-18" 1.25 orientalis—CHINESE ARBORVITAE 25' 2-3' 1.25 3-4' 1.75 4-5' 2.50 5-6' 3.00 6-7' 4.50 7-8' 6.50 8-9' 8.00 orientalis aurea nana—BERKMAN GOLDEN AR A small yellow evergreen, very compact.	BORVITAE	4'	
12-15" 1.00 15-18" 1.25 orien'alis bakeri—BAKER ARBORVITAE 7' Pyramidal form, dark green color. 15-18"	5 1.10		
FIR			
ABIES concolor—CONCOLOR FIR 80' Blue-green tips, symmetrical. 2-21/2' 21/2-3' 3-4' 4-5' 5-6' 4.50 ABIES concolor—CONCOLOR FIR 80' 1.50 3.21 4.51 4.52 4.53	5) 5		

THE MONROE NURSERI			EVER	GREENS
	to 5 Each	6 to 10 Each	11 to 30 Each	30 & up Each
FIR				
nordmanniana—NORDMAN FIR 100' Leaves dark green, bluish underneath. 3-4' 4-5' 5-6'	3.00			
HEMLOCK—Tsugα				
canadensis—CANADIAN HEMLOCK 75' Light green needles. 2-21/2' 21/2-3' 3-4' 4-5' 5-6'	2.50 3.25 4.50	2.15 2.40 3.00 4.25	2.00 2.35	
JUNIPER—Juniperus				
chinensis—CHINESE JUNIPER 6' Pyramidal in growth, very hardy. 8-9'	14.00			
chinensis columnaris—CHINESE COLUMN J A tall narrow variety of Juniperus chinensis. 4-5' 14-16' chinensis keteleeri—KETELEER JUNIPER Gray-green foliage, very straight, large	. 3.75 25.00	22.00		
berries. 3-4' 4-5' 5-6' 6-7'	. 4.25 . 5.50			
chinensis mascula 3-4' 4-5' 5-6'	. 4.00	2.25 2.75		
Spreading type with blue-green foliage. 15-18" 18-24" 2-21/2' 21/2-3'	.2.50	1.25 1.85 2.25 3.25	1.75	1.70
chinensis pfitzeriana—UPRIGHT PFITZER I Trained upright. 2½-3' 3-4' 4-5' communis hibernica—IRISH JUNIPER 10'	.3.50	3.25 4.25	3.00 4.00	
Form a narrow column.	1.25			

	l to 5 Each	6 to 10 Each	11 to 30 Each	30 & up Each
JUNIPER—Juniperus	2001			
communis suecica—SWEDISH JUNIPER				
2-3'	1.50			
cracovica—POLISH JUNIPER				
Dense light green columnar evergreen	n.			
Slower grower than the preceding variety	y. 150			
2.4/2				
	5'			
Cone shaped evergreen wih broad base.	_			
15-18''		1.25		
18-24"		1.65		
2-2 ½:	3.25	2.25 3.00		
horizontalis—CREEPING JUNIPER 1½'	0.20	0.00		
Low creeper, dark green foliage.				
15-18"	1.25	1.00		
18-24''	1.50	1.25		
horizontalis depressa plumosa—ANDORR	a junipe	ER 1'		
Creeping evergreen, foliage purple in	winter.	.75		
12-15''		1.00		
18-24''		1.50	1.35	
2-21/2'		1.75		
2 ½-3'	2.25	2.00		
sabina—SAVIN JUNIPER 4				
Spreading plant, dark green. 15-18''	1.50	1.35		
18-24''		1.75		
scopulorum—COLORADO JUNIPER 30'				
Pyramidal shape, very campact.				
18-24''	2.00	1.25 1.75		
3-4'	2.50	2.25		
4-5'		3.25		
5-6'	4.50	4.25		
6-7'	6.00		¥	
scopulorum—CHANDLER SILVER				
Improved variety. Silvery blue color. 18-24"	1.50	1.25		
2-3'		1.75		
3-4'	2.50	2.25		
4-5'	3.50	3.25		
sphaerica—FORTUNE REDCEDAR	1 .			
Grayish green foliage, irregular uprig grower.	ht			
2½-3'	2.00	1.75	1.65	
3-4'	2.75	2.50		
4-5'		3.00		
5-6'	4.25	3.75		
squamata meyeri—MEYER JUNIPER 5' Bluish color, spreading.				
15-18"	1.75	1.50		
18-24"		2.00		

	to 5 Each	6 to 10 Each	11 to 30 Each	30 & up Each
JUNIPER—Juniperus	Jacii -	Bacii	20011	
virginiana cannarti—CANNART REDCEDAR	15'			
Dark green foliage, small blue berries.				
3-4'	3.00	2.75		
4-5'	4.25	4.00	3.75	
5-6'	5.50	5.00	4.75	
6-7'				
virginiana glauca—SILVER REDCEDAR 15	ľ			
Much used for color contrasts.	2.00	2.75		
3-4'	4.25	4.00	3.75	
4-5'	5.50	5.00	0.70	
5-6'	6.50	0.00		
6-/ AMPEDING DED CED A	R 12'			
virginiana pendula —WEEPING RED CEDA	in IZ			
Dark green, drooping foliage.	2.50			
4-5'	3.50			
5-6'	4.50			
virginiana schotti—SCHOTT REDCEDAR				
Foliage bright green to yellow.	_			
3-4'	3.00	2.75		
4-5'	4.25	4.00		
5-6'	. 5.50	5.00	4.75	
6-7'	. 6.50			
PINE—PINUS				
montana mughus—MUGHO PINE 4'				
Dwarf round and compact.	1.50			
15-18"	.1.50			
18-24"	2.00			
2-2½'	. 2.70			
nigra austriaca—AUSTRIAN PINE 70'				
Deep green color, long needles. Symmetrical				
shape. 5-6'	4.50			
5-6'	. 5.50	5.00		
7-8'	.7.50	7.00		
8.9'	10.00	9.00		
9-10'	12.00	11.00		
10-12'	15.00	14.00		
12-14'	18.00	16.50		
ponderosa—WESTERN YELLOW PINE 100)′			
Openor than Austrian Pine, tast grower.		F 00		
6.7'	.5.50	5.00 7.00		
7-8'	. / .50	9.00		
8-9'	12.00	11.00		
9-10'	15.00	14.00		
TU-1Z	_0.50			
strobus—WHITE PINE 100'				
Long blue green needles, smooth bark. 6-7'	.5.50			
7.0'	.7.50			
9.9'	10.00	9.00		
9-10'	12.00			

l to 5 Each	6 to 10 Each	11 to 30 Each	30 & up Each
PINE—Pinus sylvestris—SCOTCH PINE 70' Light green needles, reddish bark. Unsymmetrical rugged appearance. 3.4'			
5-6' 4.00 6-7' 5.50 7-8' 100 & Up 6.00 7.00 8-9' 100 & Up 7.50 9.00 9-10' 12.00 10-12' 15.00 12-14' 18.00 14-16' 21.00 16-18' 25.00 18-20' 30.00	3.75 5.25 6.75 8.50 11.00 14.00	5.00 6.50 8.25 10.00 12.50	4.75 6.25 8.00
RETINOSPORA—Chamαecyparis pisifera—SAWARA CYPRESS 2.50 5-6' 3.00 6-7' 4.00 7-8' 5.00			
pisifera aurea—GOLDEN SAWARA CYPRESS 3-4'			
pisifera filifera—THREAD—RETINOSPORA $2^{1}/2-3'$			
plumosa aurea—GOLDEN PLUME CYPRESS 18-24"1.75	1.50	1.35	1.25
SPRUCE—Piceα canadensis albertiana—BLACK HILL SPRUCE Dense growing, bluish tint. 1.00 2·2·½' 1.25 2·½·2·3' 1.75 3·4' 2.25 4·5' 2.75 5·6' 5.00 6·7' 7.00			
excelsa—NORWAY SPRUCE 80' Sharp, pointed green needles. 1.75 3-4' 2.50 5-6' 3.25 6-7' 4.50 7-8' 6.25 8-9' 8.50 9-10' 11.00 10-12' 13.50 12-14' 16.00 14-16' 19.00	1.50 2.25 3.00 4.00 5.75 8.00 10.00 12.00	3.75 5.50 7.75 9.00	3.50 5.25

	l to 5 Each	6 to 10 Each	11 to 30 Each	30 & up Each
SPRUCE—Picea				
pungens—COLORADO GREEN SPRUCE Light green, sometimes silvery foliage. 2.2½' 2½-3' 3.4' 4.5' 5.6' 6.7' 7.8' pungens morheimi—MORHEIM SPRUCE	1.25 1.50 2.00 2.50 3.50 5.50	1.00 1.25 1.75 2.25 3.25 4.75 6.50		
18-24" 2-2½' 2½-3' 3-3½' 7-8' 8-9' 9-10'	3.00 3.50 4.50 20.00 30.00	2.25 2.75 3.25 4.25		
TAXUS—Yew	7 6'			
cuspidαtα —SPREADING JAPANESE YEW Dark green needles. 18-24" 2-2½ 2-½-3' 3½-4' 4-4½'	2.50 3.25 3.75 10.00 15.00	2.35 3.00 3.50	2.25 2.75	
cuspidata capitata—UPRIGHT JAPANES An upright form. 18-24" 2-2½' 2-1/2-3' 3-3½' 3-1/2-4' 4-4½'	2.25 2.50 3.50 4.50 5.50	2.00 2.35 3.35 4.35 5.35		
The following sizes are available in glob- 18-24"	3.00	2.85 3.85		
media hicksi—HICKS YEW dense, columnar, very dark needles. U	sed			
for hedges. 18-24" 2-2½'	2.00	1.85 2.85	1.75 2.75	

NURSERY HAND TRUCK


and
EVERGREEN CARRIER

SAVE LABOR AND TIME and perform work in an efficient manner.

Equipped with Jumbo tires and inner tubes.

All steel construction, electrically welded.

F.O.B. MONROE \$29.00 EACH





BROAD LEAVED EVERGREENS

	1 to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
COTONEASTER horizontalis—ROCK COTONEASTER 3' Almost horizontal evergreen. Pink flower	June s,			
bright red fruit. 15-18" B&B	1.00	.90		
microphylla—ROCKSPRAY 6' May-Jun Spreading, nearly evergreen. Gray foliag scarlet fruït. 15-18" B&B	e,	.90		
microphylla cochleata Green, silveredged leaves, larger than microphylla. Arching branches. 3 in. Pots		.20	.18	
DAPHNE cneorum—GARLAND FLOWER 1' April Dwarf bush, evergreen shrub. Rosettes fragrant pink flowers.	of			
6-9" B&B	65	.55 . 7 5	.50 .70	
EUONYMUS patens 10' Good shrub for winter effect. Holds leav	es			
till spring. Slow growing and compact. 3-4'		1.25		
radicans—WINTER CREEPER 15' Can be used as vine or for edging or groucover. Evergreen. 12-15'' 15-18''	25	.22 .30	.20 .25	
radicans vegetus—BIG LEAF WINTERCR Large glossy green foliage, scarlet berri Evergreen.	EEPER es.	20'		
12-15"		.35 .40	.30 .35	
MAHONIA aquifolium—OREGON HOLLY GRAPE Likes shady location. The shiny dark gre leaves turn bronze in fall and remain on the	en			
stems all winter. Blue berries. 15-18" B&B	1.25 1.50	1.00 1.25		
PACHYSANDRA terminglis—JAPANESE SPURGE				
White flowers. Used as ground cover und trees and other places where grass will	der not			
grow. Strong field grown plants.		.12	.10	.08

l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
PYRACANTHA coccinea—FIRETHORN			
Orange and red berries in winter.			
12-15" B&B	.75 .90		
VINCA minor—PERRIWINKLE OR MYRTLE Ground cover with attractive blue flowers.			
Strong field grown plants.	.10	.07	.05

VINES

	to 9	10 to 29 Each	30 to 249 Each	250 & Up Each
AMPELOPSIS tricuspidata (veitchi)—BOSTON IVY 50' Clings to brick or stone walls. In wide use 2 Year No. 1	.25	.20	.17	.15
tricuspidata lowi—GERANIUM CREEPER Small leaves, turning bright red in fall. Slow growing. Climbs on brick. 21/4 in. Pots	.20	.18	.15	
tricuspidata quinquefolia—VIRGINIA CREEPE Fast growing, no tendrils. For fences, w structures and ground cover. 2 Year No. 1	ooden	.18	.15	
ARISTOLOCHIA sypho—DUTCHMAN'S PIPE 30' Large, round leaves, flowers resembling pipes. 2-3'	50	.40	.35	
BIGNONIA	.50	.10		
radicans—TRUMPET CREEPER 30' Scarlet, trumpet-shaped flowers in July. No. 1	.20	.18	.15	.12
CELASTRUS orbiculatus—ORIENTAL BITTERSWEET 40' The orange and scarlet fruits cling close to the stem.				
2 Year No. 1	.20 .15	.18 .12	.15 .10	.12
scandens—AMERICAN BITTERSWEET 25' The red berries retain their color and are popular for cutting.				10
2 Year No. 1	.20 .15	.18 .12	.15 .10	.12
CLEMATIS—Large flowering varieti	ies			
2 Year No. 1 Henryi, white Jackmani, purple Mme. Edouard Andre, red	.40	.35		
Ramona, blue paniculata—SWEET AUTUMN CLEMATIS 3 White fragrant flowers. 2 Year No. 1		.18	.15	
HEDERA helix baltica—HARDY ENGLISH IVY Small leaved variety. Will climb on brick. 2 in. Pots	.20 .25	.18	.15 .20	

	l to 9 Eggn	10 to 29 Each	30 to 249 Each	250 & Up Each
LONICERA—Honeysuckle	20011	20011		
GOLD FLAME Coral flowers, clear yellow inside.				
2 Year No. 1		.35	.30	
japonica halliana—-HALL JAPAN HONEYS Creamy white fragrant flowers. Excellen ground cover or for screening on fence	ıt	25′		
wires. 2 Year No. 1	15	.12	.10	
sempervirens—SCARLET TRUMPET HONE	YSUCKL	E 30		
Long scarlet flowers. 2 Year No. 1	20	.18	.15	
Chinense—CHINESE MATRIMONY VINE Rapid grower, fine for covering banks. 2 Year No. 1	20	.18	.15	
POLYGONUM				
auberti—SILVERLACE VINE 30' Large sprigs of white flowers, fast growing 2 yr. No. 1		.25	.22	
WISTERIA				
sinensis—CHINESE PURPLE WISTERIA 4 Long clusters of flowers in May.	10′			
2 Year No. 1	45	.35		
sinensis alba—CHINESE WHITE WISTERIA A white flowering variety.	A 40'			
2 Year No. 1	45	.35		

HYBRID TEA ROSES

Prices are for	quantities	of the	same	variety	and grade.	
----------------	------------	--------	------	---------	------------	--

Prices are for quantities of the same variety	y and gro	ade.		
	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up
2 Year No. 1	40	.35	.30	.25
2 Year No. 1½		.25	.20	.18
2 Year No. 2			.15	.12
AMI QUINARD			.Dark Vel	vety Red
AUTUMN			Burn	t Orange
BETTY UPRICHARD			Orange	Carmine
CALEDONIA				White
CHARLES K. DOUGLAS				Dark Red
CONDESA DE SASTAGO			Red an	d Yellow
DAME EDITH HELEN			Large	Pure Pink
EDITH NELLIE PERKINS			Sal	mon Pink
ETOILE D' HOLLANDE				Dark Red
E. G. HILL				Scarlet
FRANCIS SCOTT KEY			Light	Crimson
GOLDEN RAPTURE			Ric	h Yellow
GRUSS AN TEPLITZ			Cł	nerry Red
INDEPENDENCE DAY			Orange	and Pink
JOANNA HILL			Indic	n Yellow
KAISERIN A. VICTORIA			Crea	my White
LADY ALICE STANLEY			1	ight Pink
LORD CHARLEMONT			Deep	Crimson
MARGARET McGREDY		Brillian	t Red, Go.	lden Base
MRS. CHARLES BELL				Shell Pink
MRS PIERRE S. DuPONT			Golde	en Yellow
PREMIER				Red
PRESIDENT HOOVER			Reddis	h Orange
ROSLYN		D	eep Golde	en Yellow
RADIANCE			Carr	nine Kose
RED RADIANCE			Brigh	Crimson
SOLIVENIR DE CLAUDIUS PERNET			Kı	ch Yellow
TALISMAN			Copper ar	nd Yellow

HYBRID PERPETUAL ROSES

		l to 5 Each	6 to 10 Each	11 to 30 Each	30 & up Each	
	2 Year No. 1	40	.35	.30		
	2 Year No. 1½	30	.25	.20		
AMERIC	CAN REALITY			La	rge Pink	
EDAIL	CARL DRUSCHKI				White	
LUMU V	JEANT DIROPOLINATION OF THE PROPERTY OF THE PR				\dots Pink	

CLIMBING ROSES

CLIMBING RO	DSES	5		
1 - E	to 9 ach	10 to 29 Each	30 to 249 Each	Each
2 Year No. 1	.30	.35 .25	.30 .20	.25 .18
AMERICAN PILLAR				Ked
CRIMSON RAMBLER. DOROTHY PERKINS.			S	hell Pink
DR. VAN FLEET			Bright	Crimson
FLOWER OF FAIRFIELD.			Creamy	Yellow
MME. GREGOIRE STAECHELIN. PAUL'S SCARLET CLIMBER. SILVER MOON.				Scarlet
POLYANTHA 1				
2 Year No. 1		.35	.30	
2 Year No. 1½	.30	.25	.20 Salr	non Pink
IDEAL				White
KIRSTEN POULSEN. LAFAYETTE.			Ch	erry Pink
MISS EDITH CAVELL. MME. NORBERT LEVAVASSEUR.		Crims	son - wn	Rosy Red
RUGOSA, HYBRID RUGOSA and	MISC	ELLAN	EOUS	ROSES
F. J. Grootendorst Bright red flowers in clusters.				
2 Year No. 1	.25	.22	.20	
Double reddish flowers. 2 Year No. 1	.40	.35		
hugonis—GOLDEN ROSE OF CHINA Profusion of yellow flowers.				
2 Year No. 1	.25	.22	.20	
Deep pink. 2 Year No. 1	.20	.18	.15	
2 Year No. 1½rubiginosa—SWEETBRIAR ROSE	.15	.12	.10	
Pink flowers, orange colored fruit.	0.0	10	15	
2 Year No. 1	.15	.18	.15 .10	
rugosa—PINK RUGOSA ROSE Early single pink flowers, large fruit.				
2 Year No. 1rugosa alba—WHITE RUGOSA ROSE	.25	.22	.20	
White flowering. 2 Year No. 1	25	.22	.20	
setigerg—PRAIRIE ROSE				
2 Voor No 1	25	22	.20	
2 Year No. 1	25 20	.22 .18	.20 .15	

PERENNIALS

I TITITITATATA	7110	
I	8 to 9 Each	10 & Up Each
ACHILLEA—Yarrow ptarmica 2' PERRYS WHITE Large double white flower. June to September—excellent for cutting.	.10	.08
tomentosa 8"	.10	.08
AGROSTEMMA—Rose Campion or Jo	ov of T	ove
coronaria atrococcinea 3'	.10	.08
ALYSSUM-Madwort; Basket of Gold	l	
saratile compactum l'	.10	.08
ANCHUSA—Dropmore		
mysotidiflora l'	.15	.12
ANTHEMIS—Chamomile		
kelwayi 3'	.10	.08
AQUILEGIA—Columbine		
chrysantha 3'	.10	.08
skinneri 3' Excellent in shady places where its greenish yellow and scarlet flowers show off to great advantage.	.10	.08
MRS. SCOTT ELLIOTT 3'Large flowers, large petals. Delicate soft colors, also some red shades.	.10	.08
ARABIS—Rockcress		
Long spurred hybrids. alpina 6"	.10	.08
ARMERIA—Thrift or Sea Pink		
formosa 8"	.10	.08

PERENNIALS	
3 to 9 Each	10 & Up Each
ASCLEPIAS—Butterfly Weed	.08
tuberosa 18"	.00
ASTER—Species and Hybrids	00
alpinus 8"	.08
amellus 18"	.08
MAUVE CUSHION 9"	.08
STAR OF EISENBACH 12"	.10
ASTER—Michaelmas Daisy	
CLIMAX 4'	.08
WHITE CLIMAX 4'	.08
Large pyramidal spikes of large white flowers.	
SNOWSPRITE 2'	.10
AUBRIETIA—Purple Rockcress	•
eyri 8"	.08
BOLTONIA—False Chamomile	
asteroides 6'	.10
latisquama 5'	.10
BOCCONIA—Plumepoppy	
cordata 8'	.10
Creamy white flowers in terminal panicles. Excellent foliage.	
CAMPANULA—Bellflower	10
calycanthema—CUP AND SAUCER 2½'12 A fine biennial plant for the old fashioned garder.	.10
calycanthema BLUE	.10
Covered with blue flowers.	

Each	10 & Up Each
CAMPANULA—Bellflower (Cont.) calycanthema PINK	.10
calycanthema WHITE	.10
carpatica—CARPATHIAN HAREBELL 10 Flowers clear blue, start blooming in June and continue until October. Unsurpassed for rock garden or edging.	.08
carpatica alba—WHITE CARPATHIAN HAREBELL 8"	.08
CARNATION GRENADINE SCARLET	.08
GRENADINE WHITE	.08
CRIMSON KING	.12
CENTAUREA—Knapweed macrocephala 3½'	.12
MONTANA 2'	.08
CERASTIUM—Snow-in-Summer tomentosum 3"	.08
CEPHALARIA ALPINA alpine scabiosa 5'	.08
CHELONE—Turtlehead or Shellflower lyoni 3'	.08
CHRYSANTHEMUM MAXIMUM—Shasta maximum—SHASTA DAISY 2'	Daisy .08

I	to 9 Each	10 & Up Each
CHRYSANTHEMUM—Hardy Outdoo	r	
ALICE HOWELL 2'Orange yellow flowers in October.	.12	.10
EARLY BRONZE 1½' Pompon Type Bronze yellow, free blooming early flower- ing. Late August to frcst.	.12	.10
INDIAN 3'	.12	.10
JEAN CUMMING 2' Large pure white flowers, with yellow and bluish shading at the center of the buds.	.12	.10
LITTLE BOB $1\frac{1}{2}$.12	.10
MURILLO 2'Best shade of pink among the early hardies.	.12	.10
OCTOBER DAWN $1\frac{1}{2}$ Soft pink, start flowering in October. A very late bloomer.	.12	.10
OCTOBER GOLD 2'	.12	.10
R. MARION HATTON Pompon Type Canary-yellow flowers. An exceptional free bloomer starting late September. It is remarkably resistant to frost.	.12	.10
SKIBO Pompon Type	.12	.10
VIVID A rosy crimson shade. Flowering about October first.	.12	.10
WHITE DOTY Tall, straight flower stems with pure white pompon flowers.	.12	.10
YELLOW NORMANDIELight bronzy yellow flowers, for early October.		.10
CHRYSANTHEMUMS—Hardy Kored APOLLO 2½' Sparkling combination of bronze, red and gold suffused with glowing salmon. October.	n .12	10
CERES 2'	.12	.10
DAPHNE 2'Daphne-pink, with an underlying sheen of lilac-rose and soft salmon.	.12	.10
MARS 2' Deep amaranth-red changing to wine red, overlaid with a velvety green.	.12	.10

à	3 to 9 Each	10 & Up Each
CUSHION CHRYSANTHEMUM AMELIA Dwarf, compact, cushion-like growth; flowering freely from late September on and varying from light to deep pink.	12	.10
COREOPSIS—Tickseed MAYFIELD 2½' An improved, large single flower of brilliant yellow.		.08
DELPHINIUM—Larkspur BELLADONNA 4' Flowers light blue continuously during the summer.	10	.08
BELLAMOSA 4'		.08
ENGLISH HYBRIDS BLACKMORE & LANGDON 4'	15	.12
DIANTHUS de'toides Maiden Pink 8" A creeping variety with narrow leaves and bearing a profusion of crimson flowers during June and July.		.08
latifolius atrococcineus Beautiful summer bedding variety producing masses of brilliant fiery crimson flowers all season.		.08
plumarius The old fashioned Hardy Pinks, bloom from May to November.	10	.08
DICENTRA—Bleedingheart spectabilis 2' Long racemes of heart shaped pink flowers in May and June.	25	.20
EUPATORIUM—Hardy Ageratum frazeri 1½'	10 t	.08
GAILLARDIA—Blanketflower grandiflora (Bremen Strain) 2' Deep orange-yellow flower. Blooms from June to November.	10	.08

PERENNIALS	
3 to 9 Each	10 & Up Each
GYPSOPHILA—Babysbreath	••
acutifolia l'	.08
paniculata 2'	.80.
HELENIUM—Sneezeweed RIVERTON BEAUTY 4'	.08
RIVERTON GEM 4'	.08
HELIANTHUS—Hardy Sunflower maximiliani 6'	.08
HELIOPSIS—Hardy Zinnia pitcheriana 4'	.08
scabra zinneaflora 3'	.08
HEMEROCALLIS—Daylily flava 2½'	.08
IBERIS—Candytuft sempervirens 8"	.08
IRIS GERMANICA—German Iris AMBASSADEUR 40" L	.05
CINNABAR 36" M	.10
DOLLY MADISON 38" E	.10
GRACE STURTEVANT 28" L	.20
KATHARINE McFARLAND 20" L12 Blackish purple.	.10
KING TUT 28" M-L	.17


	3 to 9 Each	10 & Up Each
IRIS GERMANICA—German Iris	(Cont.)	
MARY BARNETT 36" M	15	.12
MRS. VALERIE WEST 40" M Bronze and lavender.	12	.12
PINK SATIN 38" M	25	.20
PLUIE D'OR 32" M	12	.10
PRINCESS BEATRICE 38" E Light lavender blue.	06	.05
SOUVENIR DE MME. GAUDICHAN 36" E Old purple with blue beard.	12	.10
IRIS PUMILA—Dwarf Iris		
These Irises rarely grow over six inches in height and bloom in April and May.		
atroviolacea	06	.05
azurea	06	.05
DITTONS PURPLE	12	.10
FLORIDA	12	.10
MAROCAIN	12	.10
THE BRIDEPure white.	12	.10
IRIS SIBERICA—Siberian Iris		
EMPEROR 45" M	15	.12
KINGFISHER BLUE 36" M	12	.10
LLEWELLYN 40" M Electric Blue.	35	.30
PERRYS BLUE 36"	12	.10
WHITE DOVE 48" M	15	.12
LIATRIS—Gayfeather	1.5	10
spicata 2½'		.12

PERENNIALS		
3 : Ex	to 9 ach	10 & Up Each
LINUM—Flax		
flavum 2'	15	.12
Bright yellow flowers.	10	.08
perenne 2'	.10	.00
perenne album 2' A white variety of above.	.10	.08
LYCHNIS—Campion		
	.10	.05
Vivid scarlet flowers all summer.	10	.08
viscaria splendens l'Brilliant red flowers during June and July.	.10	.00
LYTHRUM—Purple Loosestrife		
superbum roseum 3'	.15	.12
Very showy rosy purple spikes produced during August and September.		
MONARDA—Beebalm		
Brilliant crimson, flowers are produced free-		
ly from June until August.		
PAEONIA—Peony		
3 to 5 Eye Divisions.	1.5	10
White	.15	.12 .12
Pink	.15	.12
PHLOX DECUSSATA		
AFRICA	.10	.08
Brilliant carmine red with blood red eye.		
B. COMTE	.12	.10
Best clear reddish-purple, sometimes considered a burgundy shade.		
BEACON	.12	.10
Large full trusses of carmine with wine-red		
eye.	.10	.08
COLONIAL Very large light blue flowers.	.10	.00
ECLAIREUR	.10	.08
Brilliant purplish-crimson with white eye. FEUERBRAND	.12	.10
Rich deep scarlet slightly darker at center.		
LEO SCHLAGETER	.15	.12
Large scarlet trusses slightly darker in the		
center.	.10	.08
RHEINLANDER	.10	.00
RIJNSTROOM	.10	.08
Clear rose pink with lavender cast.	10	10
THOR	.12	.10
Large florets of clear salmon pink with burgundy eye.		
WIDAR	.12	.10
Violet florets with a clear white eye.		

	3 to 9 Each	10 & Up Each
PHLOX SUBULATA		
amoena 4"		.10
lilacina Creeping variety suitable for bold masses in the rock graden, completely covered with light lilac flowers in May.		.10
roseα	12	.10
VIVID	12	.10
PHYSALIS—Chinese Lanternplant		
francheti 2'	10	.08
PHYSOSTEGIA—False Dragonhead	7	
virginica 4'	10	.08
Long spike of delicate pink flowers in July and August		
PYRETHRUM—Painted Daisy		
atrosanguineum 2'	10	.08
Produces flowers of a red shade during June and July		
MIXED VARIETIES		.08
SALVIA—Meadow Sage		
azurea 4' A Rocky Mountain species. Sky blue flowers during August and September.	10	.08
SAXIFRAGA—Rockfoil		
cordifolia l'		.15
SCABIOSA—Pincushion Flower		
caucasica Blue Bonnet 2' Lavender flowers from June until Sept.	15	.12
SEDUM—Stonecrop		
acre 2'		.08
kantschaticum Orange-yellow flowers, with prostrate green foliage turning golden in Autumn.		.08
spectabile 18")	.08


	3 to 9 Each	4U & 01 Each
SPIRAEA—Meadowsweet filipendula 18"	10	.08
TEUCRIUM—Germander canadensis 12" Dwarf plants of open growth, bearing spikes of reddish purple flowers during the summer.		.12
chamaedrys 12" Evergreen shrub-like plant with glossy green foliage. Spikes of purple flowers in August and September.	7	.12
TRITOMA—Redhot Poker pfitzeri 4'	15 l	.12
TUNICA—Coatflower saxifraga 6"	10	.08
VALERIANA—Golden Heliotrope officinalis 4' Produces showy heads of rose-tinted whit flowers during June and July.	10 e	.08
VERBASCUM—Mullein phoeniceum 18" Flowers borne in branched spikes in color ranging from white, pink, rose, purple an bronze to brown.	S	.10
VERONICA—Speedwell longifolia subsessilis 2' Long spikes of blue flowers during July September.	15 to	.12
VIOLA—Tufted Pansy firmament	15	.12
ilona	15	.12
lutea	15	.12
WHITE PERFECTION	15	.12
YUCCA—Adams Needle filamentosa 5' Dwarf-like leaves and large heads creamy white blossoms during summer.	10	.08

You get all the roots when you buy Ilgenfritz Fruit Trees



A front view of the new Ilgenfritz Power Digger. Of course it saves time but what's more important it digs the trees with more roots than we ever were able to get before.

This rear view shows the digger in action. Notice the size of the blade.



FRUIT TREES

STANDARD APPLES

2 years, budded

Write for quantity prices.

Prices are for quantities of a grade and variety.

	1 to 9	10 to 29	30 to 249	250 & Up
	Each	Each	Each	Each
11/16" and up	30	.30 .25 .18	.25 .20 .16	.22½ .18 .14

ANOKA—Early bearer, red fruit. Summer.

BALDWIN—Large, bright red, fine for cooking and eating. November.

BANANA—Large, pale yellow with red blush, tender. October.

CHENANGO—Medium, yellow striped, early bearer. August.

CRIMSON BEAUTY—Productive annual bearer, red. July

CORTLAND—Deep red, large. October.

DUCHESS—Medium, red striped, cooking apple. August.

EARLY HARVEST—Medium, yellow, excellent for eating. July.

EARLY McINTOSH—Cross between Yellow Transparent and McIntosh. August.

FAMEUSE—Snow apple, medium, red striped, for eating. October.

GALLIA BEAUTY—Red Rome, solid red, medium. November.

GOLDEN RUSSETT-Medium, golden russett color, good keeper. December.

GRIMES GOLDEN—Golden yellow, medium. November.

HUBBARDSTON—Greenish yellow flushed red, medium. October.

JONATHAN—Medium, dark red. November.

KING—Large, fine for cooking. October.

KIRBY—Medium, deep red, improved Delicious. November.

LODI—Improved Yellow Transparent. July.

MACOUN—Dark solid red. November-December.

McINTOSH—Medium, red. October

NORTHERN SPY—Large, bright red, striped. November.

 $\hbox{N.W.GREENING---Large, greenish-yellow.} \quad \hbox{December.}$

RAMBO—Medium, pale green. November.

RED ASTRACHAN—Yellow, overlaid with red. July.

RED DELICIOUS—Large, red, excellent eating apple. November.

RED SPY-Large, bright red. November.

R.I.GREENING—Large, green, cooking apple. December.

STARK—Greenish-yellow striped red. November.

STAYMAN—Medium, red. December.

STEELE RED—Juicy, fine flavor, yellow, striped deep red. November.

SWEET BOUGH—Pale yellow, sweet. August.

TOLMAN—Sweet, yellow. November.

TURLEY—Large, dark red, winesap. December.

WAGENER—Bright red and yellow, medium. October.

WEALTHY—Medium, bright red. October.

WINESAP—Medium, early and regular bearer. December.

WINTER BANANA—Large, pale yellow with red blush, tender. October.

YELLOW TRANSPARENT—Medium, waxy, yellow. July.

CRAB APPLES

2 years, budded.

	o 9 10 to 2 ch Each		
11/16" and up			
7/16"- 9/16"	20 .18	.16	.14

HYSLOP-Dark red. September.

MARTHA-Bright light red. September.

WHITNEY—Striped red. August-September.

STANDARD PEARS

2 years, budded.

Write for quantity prices!

	l to 9 Each		30 to 249 Each	
11/16" and up	30	.25	.20	.22½ .18 .14

ANJOU-Yellow, faintly blushed. November.

BOSC-Tapering neck, yellow and russett. October.

BARTLETT-Yellow with red blush. September.

CLAPP-Lemon yellow, dotted crimson. August.

CAMPAS—Blight resistant Kieffer. Early bearer.

CLAIRGEAU—Yellow with crimson cheek. October.

CONFERENCE—Shining green, dotted russett. October.

DUCHESSE—Dull yellow, streaked. October.

FLEMISH BEAUTY—Clear yellow with red blush. September.

GORHAM—Resembles Bartlett but two weeks later. Good keeper.

KIEFFER-Yellow, blushed dull red. October.

LAWRENCE—Lemon yellow marked with russett. November.

SECKEL—Small, yellowish brown, red cheek. September.

SHELDON—Greenish-yellow, slightly russeted. September.

VERMONT BEAUTY—Resembles Seckel but is larger and ripens later.

WILDER-Bright yellow, flaming cheek. August.

DWARF PEARS

2 year.

	l to 9 Each	Each	
5/8" and up	30	.25	.22
1/2"-5/8"		.20	.18

BARTLETT

CLAPP

CONFERENCE

CAMPAS

DUCHESSE

FLEMISH BEAUTY

SECKEL

WILDER

SOUR CHERRIES

2 years and 1 year on Mahaleb

Write for quantity prices!

Wille for quasi-	l to 9 Each	10 to 29	30 to 249 Each	250 & Up Each
11/16" and up	50	.40	.35	.30

EARLY RICHMOND—Early, medium size, light red. ENGLISH MORELLO-Late, very dark red. MONTMORENCY—Large red sour cherry, midseason.

SWEET CHERRIES

2 years and 1 year 1 to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
11/16" and up60	.50	.45	
9/16"-11/16"50	.45	.40	
7/16"- 9/16"45	.40	.35	

BING-Almost black.

BLACK TARTARIAN—Purplish black.

GOVERNOR WOOD—Pale yellow with red blush.

NAPOLEON-Yellow with red cheek.

PEACHES

Write for quantity prices!

1 to	9 10 to 29	9 30 to 249	250 & Up
Eas		Each	Each
11/16" and up		.16	.15
9/16"-11/16"	25 .18	.15	.14
7/16"- 9/16"	20 .15	.12	.09
5/16"- 7/16"	15 .10	.08	.06
5/16"- 7/16"	10 .08	.06	.05
2-3'	1.		orovimate

Ripening dates are those of the South Haven, Michigan area and are approximate and relative.

Y-Yellow

W-White C-Clingstone

F-Freestone

SF-Semifreestone

ADMIRAL DEWEY YF-July 28th to August 5th.

AMBER GEM YC-August 28th to September 8th.

ARP BEAUTY YSF—July 28th to August 7th. BANNER YF—September 30th to October 5th.

BARNARD—September 1st to September 5th. BELLE OF GEORGIA WF—September 1st to September 5th.

CARMAN WSF-August 15th to August 20th.

CAPTAIN EDE YF—September 10th to September 20th.

CHAMPION WF-August 10th to August 15th.

ELBERTA YF-September 10th to September 20th.

EARLY ELBERTA YF-September 5th to September 10th. EARLY CRAWFORD YF—September 1st to September 5th.

ENGLE YF-September 15th to September 20th.

ECLIPSE YF-September 5th to September 10th.

FITZGERALD YF-August 25th to September 1st. GOLDEN JUBILEE YF-August 15th to August 20th.

GOLD DROP YF-September 25th to October 1st.

	1 to 9	10 to 29	30 to 249	
PEACHES	Each	Each	Each	Each
HALEHAVEN YF—August 25th to August 36 J. H. HALE YF—September 5th to September KALHAVEN YF—September 7th to September KALHAVEN YF—September 20th to September LATE CRAWFORD YF—September 20th to September 20th to September 20th to September Clink Grammar Yellow Character Yellow Ch	10th. er 15th. mber 30th September mber 25th tember 25 mber 5th. th. aber 1st. 10th.	r 30th. th.		
RIO OSO GEM YF—Pat. No. 84				
September 20th to September 25th. 7/16"-9/16"	30	.32 .25 N THIS S	.28 .22 CHEDULE 30 to 249	.25 .20
	Each	Each	Each	
7/16"-9/16" 5/16"-7/16"		.40 .40	.35	
We are licensed distributors for Ohi Minnesota, Missouri and Wisconsin.	o, Illinois	, Indiano	a, Iowa, l	Michigan,
Patent Agreement Must Be Signed Befor	e Purchas	sing Stock	•	
PLUM	IS			
2 years on		10 +- 20	30 & Up	
	i to 9 Each	Each	Each	
11/16" and up 9/16"-11/16"		.40 .35	.35 .30	
*BURBANK—Early bearer, yellow and red. September. BRADSHAW—Violet red, large. August. *FELLENBERG—Dark blue, freestone. September. GERMAN PRUNE—Dark blue, freestone. September. *LOMBARD—Violet red, freestone. September. MONARCH—Dark purple, freestone. September. RED JUNE—Heart-shaped, garnet red. Early.				
APRICO	OTS			
2 years on				
11/16" and up	50	.45		

MOORPARK—Orange and red, freestone. August.

QUINCES

5/8" and up

l to 9 10 & Up each each

Orange.

.50 .40

NECTARINES

1 year on Peach.

l to 9 Each	 30 & Up Each
	.22 .20

 $\label{eq:forward_equation} F \bigcirc X - Y \\ ellow \ with \ red \ cheek, \ freestone. \\ \ September \ lst.$

SMALL FRUITS

BLACKBERRIES—No. 1 Suckers

l to 9	10 to 29	30 to 249	250 & Up
Each	Each	Each	Each
06	05	.04	.03

ALFRED BLOWERS ELDORADO MERSEREAU

RASPBERRIES, Red-No. 1 Suckers

l to 9	10 to 29	30 to 249	250 & Up
Each	Each	Each	Each
.06	.05	.04	

CHIEF CUTHBERT KING

LATHAM ST. REGIS

RASPBERRIES, Black and Purple—No. 1 Tips

1 to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
COLUMBIAN	.05	.04	.03
CUMBERLAND	.03	.02	$.01\frac{1}{2}$
NEW LOGAN	.04	.03	.02
PLUM FARMER	.04	.03	.02
SODUS	.06	.05	.04

I. E. ILGENFRITZ' SONS CO. THE MONROE NURSERY		SMALL	FRUITS
CURRANTS, Red—2 years No. 1			
CHERRY	.08	.07	.06
FAY	.08	.07	.06
PERFECTION	.10	.09	.08
WILDER	.08	.07	.06
WILDER			
GOOSEBERRIES—2 year No. 1			
DOWNING, green	.18	.15	
HOUGHTON, dull dark red	.15	.12	
JOSSELYN, pale red	.18	.15	
JODDEN IV, pare real			
GRAPES—2 year No. 1			
AGAWAM, red	.12	.10	.08
BRIGHTON, red	.12	.10	.08
CACO, red	.18	.16	.14
CATAWBA, red	.12	.10	.08
CONCORD, black	.06	.05	.04
DELAWARE, red	.12	.10	.08
FREDONIA, black	.16	.14	.12
MOORE'S EARLY, black	.12	.10	.08
NIAGARA, white	.10	.08	.06
PORTLAND, white	.16	.14	.12
WORDEN, black	.12	.10	.0۵
WOIDEN, Black			
ASPARAGUS—2 year No. 1			
MARTHA WASHINGTON	.03	.02	.01 1/2
RHUBARB—1½-2 in.			
MYATT LINNAEUS	.08	.06	.05
		Per 100	Per 1000
STRAWBERRIES			
AROMA		.75	5.00
BLAKEMORE		.75	5.00
DORSETT		1.00	6.50
DUNLAP		.75	5.00
FAIRFAX		1.00	6.50
· GEM		1.25	8.00
PREMIER		1.15	7.00
MASTADON		1.25	8.00
103.10142			



THE ILGENFRITZ FIRMER

A well known implement in use throughout the country.

STOP HEAVY LOSS of newly planted stock by the proper firming of soil. This firmer is constructed so that additional weight can be added when necessary insuring uniform packing of soil about roots at all times. Easily steered by foot pedals. Narrow wheels cut through loose top soil and pack the earth about the roots.

\$85.00 F.O.B. MONROE, MICH.

THE ILGENFRITZ TWO ROW OPENER

SPEED UP SUMMER CULTIVATION by proper spring planting. Accurate spacing between pairs of rows enables you to use standard two row tractor-cultivators saving time and money.


Rows are equal distance apart their entire length.

Easily attached to any tractor.

All steel construction.

\$175.00 F.O.B. MONROE, MICH.

We can also still supply the Ilgenfritz Single Row Opener.
\$95.00 F.O.B. MONROE, MICH.



DOWAX

PROTECTS TREES AND PLANTS

USE DOWAX FOR:

Spraying of evergreens in early October to prevent winter windburn and the browning of foliage and needles.

Spraying of fall planted deciduous trees, preventing winter windburn.

Spraying of late spring planted deciduous plants already in foliage, will check dehydration and prevent wilting.

Coating Christmas trees to retard needle-fall.

EASY TO APPLY:

Dilute DOWAX with three parts of water and apply with a knapsack sprayer for best results.

DOWAX was developed by Michigan State Experiment Station; and the Dow Chemical Company are sole producer under special manufacturing and sales licenses.

 ${f DOWAX}$ weighs seven pounds per gallon and is supplied as follows:



30 gal drums—210 lbs. at \$.18 lb.

10 gal. drums— 70 lbs. αt .22 lb.

5 gal. drums— 35 lbs. at .26 lb.

1 gal. cans — 7 lbs. at .30 lb.

F.O.B. MONROE, MICHIGAN

COMPLETE DIRECTIONS FOR USE ON EACH PACKAGE

B & B Price Schedule

For deciduous stock not marked B&B in this price list.

Shrubs and small trees

		1	2	5	2 5
Diam. of ball	Plant Size	each	each	each	each
10 in.	18 to 24 in.	. 35	. 30	. 25	. 20
12 in.	2 to 3 ft.	.45	. 40	.30	. 25
13 in.	3 to 4 ft.	. 50	. 45	. 35	. 30
15 in.	4 to 5 ft.	. 70	.60	. 50	. 40
16 in.	5 to 6 ft.	.85	75	. 60	. 50
18 in.	6 to 7 ft.	1.40	1.20	1.00	. 90
20 in.	7 to 8 ft.	2.20	1.80	1.50	1 30
22 in.	8 to 9 ft.	3.10	2.60	2.10	1.75
24 in.	9 to 10 ft.	4.10	3.25	2.50	2.15
	Standard	shade	trees		

18 in.	$1\frac{1}{4}$ to $1\frac{1}{2}$ in.	1.40	1.20	1 00	. 90
19 in.	$1\frac{1}{2}$ to $1\frac{3}{4}$ in.	1.75	1 50	1.25	1 10
21 in.	13/4 to 2 in.	2.50	2 10	1.75	1.50
24 in.	2 to $2\frac{1}{2}$ in.	4.10	3.25	2.50	2 15
27 in.	$2\frac{1}{2}$ to 3 in.	5.50	4.25	3 30	2.80
30 in.	3 to $3\frac{1}{2}$ in.	7.50	5.75	4.10	3.50
35 in.	$3\frac{1}{2}$ to 4 in.	8.75	6.75	4.90	4.50
40 in.	4 to $4\frac{1}{2}$ in.	12.00	9.75	7.50	6.10
44 in.	416 to 5 in.	13.50	11.25	8.75	7.25

Deposit Required on Platforms Supplied with balled trees.

30	x	30"	\$1.00
36	x	36"	2.00
48	x	48"	3.00
60	v	60"	4.00

Memorandum

ORDER FOR

I. E. ILGENFRITZ' SONS CO.

THE MONROE NURSERY

MONROE MICH.

Name		Date	
Address			
Ship when	How	Terms	
Quantity	Name and Size	Unit	Amount
All orders taken subject to we have no control. Ship sidered except when mad- description, quality, grow that our total liability for the refund of the purchase pri	o acceptance by our home office, to cr ments travel at risk and cost of purchas e promptly after receipt of stock. We g th, productiveness, or any other matter intrueness to name shall beupon satis ce.	op yield, and to all contingel ier, and no claims for deducti give no warranty, expressed o r, of any stock we sell. It is sfactory prooflimited to free !. E. ILGENFR	ions will be con- ir implied, as to mutually agreed re-placement, of

SIGNATURE OF PURCHASER





